



GADAR Wall Light

MLWL144POLBRS Polished Brass




MATERIAL	Brass Glass
HEIGHT	12-20cm
WIDTH DIAMETER	12cm
LENGTH PROJECTION	15-26.5cm
WEIGHT	0.72 kg
LAMPHOLDER	E14
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	Class I
SHADE	GL117
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET: MLWB01 | Polished Brass




GADAR Wall Light

MLWL144ANTBRS Antique Brass



MATERIAL	Brass Glass
HEIGHT	12-20cm
WIDTH DIAMETER	12cm
LENGTH PROJECTION	15-26.5cm
WEIGHT	0.72 kg
LAMPHOLDER	E14
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	Class I
SHADE	GL117
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET: MLWB01 | Antique Brass



WWW.MULLANLIGHTING.COM


Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) Refer to our website for a full list of terms and conditions.




GADAR Wall Light

MLWL144ANTSLV Antique Silver




MATERIAL	Brass Glass
HEIGHT	12-20cm
WIDTH DIAMETER	12cm
LENGTH PROJECTION	15-26.5cm
WEIGHT	0.72 kg
LAMPHOLDER	E14
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	Class I
SHADE	GL117
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET: MLWB01 | Antique Silver




GADAR Wall Light

MLWL144SATBRS Satin Brass



MATERIAL	Brass Glass
HEIGHT	12-20cm
WIDTH DIAMETER	12cm
LENGTH PROJECTION	15-26.5cm
WEIGHT	0.72 kg
LAMPHOLDER	E14
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	Class I
SHADE	GL117
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET: MLWB01 | Satin Brass



Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) Refer to our website for a full list of terms and conditions.

