



LENA Wall Light

MLWL137ANTBRSC L Antique Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Antique Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




LENA Wall Light

MLWL137ANTBRSCR Antique Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Antique Brass




www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




LENA Wall Light

MLWL137ANTBRSFR Antique Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Antique Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


LENA Wall Light

MLWL137ANTSLVCL Antique Silver



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Antique Silver




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


LENA Wall Light

MLWL137ANTSLVCR Antique Silver



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Antique Silver




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


LENA Wall Light

MLWL137ANTSLVFR Antique Silver



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Antique Silver




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LENA Wall Light


MLWL137NATBRSC

Natural Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Natural Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LENA Wall Light


MLWL137NATBRSCR

Natural Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Natural Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


LENA Wall Light

MLWL137NATBRSFR Natural Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Natural Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


LENA Wall Light

MLWL137POLBRSCS Polished Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Polished Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


LENA Wall Light

MLWL137POLBRSCR Polished Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Polished Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


LENA Wall Light

MLWL137POLBRSFR Polished Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Polished Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


LENA Wall Light

MLWL137SATBRSC L Satin Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Satin Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LENA Wall Light


MLWL137SATBRSCR

Satin Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Satin Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LENA Wall Light


MLWL137SATBRSFR

Satin Brass



| | |
|--------------------------|---------------|
| MATERIAL | Brass Glass |
| HEIGHT | 34cm 13.39" |
| WIDTH DIAMETER | 17cm 6.69" |
| LENGTH PROJECTION | 28cm 11.02" |
| WEIGHT | 1.36KG 3lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 40W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 65 |
| CLASS PROTECTION | II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB12 | Satin Brass



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.