



## PADANG Chandelier

MLF238ANTBRS Antique Brass



MATERIAL	Brass   Glass
HEIGHT	76cm   29.92"
WIDTH   DIAMETER	105cm   41.34"
LENGTH   PROJECTION	n/a
WEIGHT	8.5KG   18.74lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL025x1   GL096x3
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA036   3 Core Round   Brown   PVC

Fixing Bracket MLROSE15 | Antique Brass




**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


## PADANG Chandelier

MLF238ANTSLV Antique Silver




MATERIAL	Brass   Glass
HEIGHT	76cm   29.92"
WIDTH   DIAMETER	105cm   41.34"
LENGTH   PROJECTION	n/a
WEIGHT	8.5KG   18.74lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL025x1   GL096x3
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA013   3 Core Round   Clear   PVC

Fixing Bracket MLROSE15 | Antique Silver





## PADANG Chandelier

MLF238POLBRS Polished Brass



MATERIAL	Brass   Glass
HEIGHT	76cm   29.92"
WIDTH   DIAMETER	105cm   41.34"
LENGTH   PROJECTION	n/a
WEIGHT	8.5KG   18.74lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL025x1   GL096x3
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA012   3 Core Round   Gold   PVC

Fixing Bracket MLROSE15 | Polished Brass



**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.