


MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL147
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


**Fixing Bracket MLWB11 | Black**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL144
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


**Fixing Bracket MLWB11 | Black**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL148
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


**Fixing Bracket MLWB11 | Black**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL147
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Bronze

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL144
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Bronze

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL148
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Bronze

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL147
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


**Fixing Bracket MLWB11 | Grey**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL144
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


**Fixing Bracket MLWB11 | Grey**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL148
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


**Fixing Bracket MLWB11 | Grey**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL147
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Orange

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL144
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Orange

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL148
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Orange

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL147
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Red

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL144
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Red

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL148
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


### Fixing Bracket MLWB11 | Red

\* Fixing bracket may differ for UL wired products.




#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL147
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB11 | Racing Green  
 \* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL144
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB11 | Racing Green  
 \* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL148
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


Fixing Bracket MLWB11 | Racing Green

\* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL147
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


**Fixing Bracket MLWB11 | White**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL144
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


**Fixing Bracket MLWB11 | White**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Aluminium   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	32cm   12.6"
WEIGHT	1.4KG   3.09lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL148
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

**Fixing Bracket MLWB11 | White**

\* Fixing bracket may differ for UL wired products.



**Product Notes:**

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.