



MATERIAL	Brass
HEIGHT	26CM   10.24"
WIDTH   DIAMETER	14CM   5.51"
LENGTH   PROJECTION	19cm   7.48"
WEIGHT	0.9KG   1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS039
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLCA047   2 Core Round   Brown Braid   PVC

Fixing Bracket MLWB15 | Antique Brass  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	26CM   10.24"
WIDTH   DIAMETER	14CM   5.51"
LENGTH   PROJECTION	19cm   7.48"
WEIGHT	0.9KG   1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS039
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLCA047   2 Core Round   Brown Braid   PVC

Fixing Bracket MLWB15 | Antique Brass  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	26CM   10.24"
WIDTH   DIAMETER	14CM   5.51"
LENGTH   PROJECTION	19cm   7.48"
WEIGHT	0.9KG   1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS039
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC

Fixing Bracket MLWB15 | Antique Silver  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	26CM   10.24"
WIDTH   DIAMETER	14CM   5.51"
LENGTH   PROJECTION	19cm   7.48"
WEIGHT	0.9KG   1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS039
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC

Fixing Bracket MLWB15 | Antique Silver  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



## NAGI Ceramic Wall Light

MLCMWL014PCMBKRED Matt Black



MATERIAL	Brass	Fixing Bracket MLWB15   Matte Black
HEIGHT	26CM   10.24"	* Fixing bracket may differ for UL wired products.
WIDTH   DIAMETER	14CM   5.51"	
LENGTH   PROJECTION	19cm   7.48"	
WEIGHT	0.9KG   1.98lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	MLCS039	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC	



www.mullanlighting.com

#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## NAGI Ceramic Wall Light

MLCMWL014PCMBKYLW Matt Black



MATERIAL	Brass
HEIGHT	26CM   10.24"
WIDTH   DIAMETER	14CM   5.51"
LENGTH   PROJECTION	19cm   7.48"
WEIGHT	0.9KG   1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS039
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC

Fixing Bracket MLWB15 | Matte Black

\* Fixing bracket may differ for UL wired products.



www.mullanlighting.com

#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# NAGI Ceramic Wall Light

MLCMWL014POLBRSRED Polished Bras



MATERIAL	Brass	Fixing Bracket MLWB15   Polished Brass
HEIGHT	26CM   10.24"	* Fixing bracket may differ for UL wired products.
WIDTH   DIAMETER	14CM   5.51"	
LENGTH   PROJECTION	19cm   7.48"	
WEIGHT	0.9KG   1.98lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	MLCS039	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC	

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



## NAGI Ceramic Wall Light

MLCMWL014POLBRSYLW Polished Brass



MATERIAL	Brass	Fixing Bracket MLWB15   Polished Brass
HEIGHT	26CM   10.24"	* Fixing bracket may differ for UL wired products.
WIDTH   DIAMETER	14CM   5.51"	
LENGTH   PROJECTION	19cm   7.48"	
WEIGHT	0.9KG   1.98lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	MLCS039	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC	



www.mullanlighting.com

#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass
HEIGHT	26CM   10.24"
WIDTH   DIAMETER	14CM   5.51"
LENGTH   PROJECTION	19cm   7.48"
WEIGHT	0.9KG   1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS039
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC

Fixing Bracket MLWB15 | Satin Brass

\* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	26CM   10.24"
WIDTH   DIAMETER	14CM   5.51"
LENGTH   PROJECTION	19cm   7.48"
WEIGHT	0.9KG   1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS039
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC

Fixing Bracket MLWB15 | Satin Brass  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.