

### MLBP020ANTBRSCL Antique Brass








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP01
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA001   2 Core Round   Brown Braid   Rubber

### Fixing Bracket MLROSE31 | Antique Brass

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLBP020ANTBRSOP Antique Brass








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP02
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA001   2 Core Round   Brown Braid   Rubber

### Fixing Bracket MLROSE31 | Antique Brass

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






### MLBP020ANTSLVCL Antique Silver








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP01
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Antique Silver

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






### MLBP020ANTSLVOP Antique Silver








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89"
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP02
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Antique Silver

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLBP020NATBRSCL Natural Brass








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP01
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Natural Brass

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLBP020NATBRSOP Natural Brass








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP02
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Natural Brass

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






### MLBP020PCMBKCL Matt Black








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP01
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Matt Black

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLBP020PCMBKOP Matt Black








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP02
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Matt Black

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






## MLBP020PCWTECL White








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL164   GLWP01
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | White

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLBP020PCWTEOP White








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP02
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | White

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLBP020POLBRSCL Polished Brass








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP01
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31|Polished Brass

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLBP020POLBRSOP Polished Brass






MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP02
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Polished Brass

\* Fixing bracket may differ for UL wired products.





www.mullanlighting.com

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.








## CARI Bathroom Pendant MLBP020POLCHRCL Polished Chrome






MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP01
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Polished Chrome

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





#### **CARI Bathroom Pendant** MLBP020POLCHROP **Polished Chrome**








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL164   GLWP02
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Polished Chrome

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLBP020SATBRSCL Satin Brass








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP01
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Satin Brass

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






### MLBP020SATBRSOP Satin Brass








MATERIAL	Brass   Glass
HEIGHT	41cm   16.14"
WIDTH   DIAMETER	17.5cm   6.89''
LENGTH   PROJECTION	n/a
WEIGHT	2.05KG   4.52lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL164   GLWP02
CABLE   CHAIN   BAR LENGT	100cm  40"
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLROSE31 | Satin Brass

\* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

