


# YEREVAN 25CM Pendant

MLP089ANTBRS Antique Brass



MATERIAL	Brass   Glass
HEIGHT	28cm   11.02"
WIDTH   DIAMETER	25cm   9.84"
LENGTH   PROJECTION	n/a
WEIGHT	1.32KG   2.91lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL044D
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA010   2 Core Flat   Brown   PVC

Fixing Bracket MLROSE05HOOK | Antique Brass


\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# YEREVAN 25CM Pendant

MLP089ANTSLV Antique Silver



MATERIAL	Brass   Glass
HEIGHT	28cm   11.02"
WIDTH   DIAMETER	25cm   9.84"
LENGTH   PROJECTION	n/a
WEIGHT	1.32KG   2.91lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL044D
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA014   2 Core Flat   Clear   PVC

Fixing Bracket MLROSE05HOOK | Antique Silver


\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# YEREVAN 25CM Pendant

MLP089POLBRS Polished Brass



MATERIAL	Brass   Glass
HEIGHT	28cm   11.02"
WIDTH   DIAMETER	25cm   9.84"
LENGTH   PROJECTION	n/a
WEIGHT	1.32KG   2.91lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL044D
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA038   2 Core Flat   Gold   PVC

Fixing Bracket MLROSE05HOOK | Polished Brass


\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# YEREVAN 25CM Pendant

MLP089POLCHR Polished Chrome



MATERIAL	Brass   Glass
HEIGHT	28cm   11.02"
WIDTH   DIAMETER	25cm   9.84"
LENGTH   PROJECTION	n/a
WEIGHT	1.32KG   2.91lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL044D
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA014   2 Core Flat   Clear   PVC

Fixing Bracket MLROSE05HOOK | Polished Chrome


\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# YEREVAN 25CM Pendant

MLP089SATBRS Satin Brass




MATERIAL	Brass   Glass
HEIGHT	28cm   11.02"
WIDTH   DIAMETER	25cm   9.84"
LENGTH   PROJECTION	n/a
WEIGHT	1.32KG   2.91lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL044D
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA038   2 Core Flat   Gold   PVC

Fixing Bracket MLROSE05HOOK | Satin Brass

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass   Glass
HEIGHT	28cm   11.02"
WIDTH   DIAMETER	25cm   9.84"
LENGTH   PROJECTION	n/a
WEIGHT	1.32KG   2.91lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL044D
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA014   2 Core Flat   Clear   PVC

Fixing Bracket MLROSE05HOOK | Satin Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.