


KHUMO Wall Light


MLWL334ANTBRS Antique Brass



MATERIAL	Brass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	0.92KG 2.03lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	MLFS002
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB07 | Antique Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

KHUMO Wall Light


MLWL334ANTSLV Antique Silver



MATERIAL	Brass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	0.92KG 2.03lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	MLFS002
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB07 | Antique Silver

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



KHUMO Wall Light


MLWL334PCBLK Black



MATERIAL	Brass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	0.92KG 2.03lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	MLFS002
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB07 | Black

*For UL wired lights, fixing bracket may differ



www.mullanlighting.com


Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





KHUMO Wall Light


MLWL334PCMBK Matt Black



MATERIAL	Brass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	0.92KG 2.03lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	MLFS002
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB07 | Matt Black

*For UL wired lights, fixing bracket may differ



www.mullanlighting.com


Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





KHUMO Wall Light


MLWL334PCWTE White



MATERIAL	Brass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	0.92KG 2.03lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	MLFS002
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB07 | White

*For UL wired lights, fixing bracket may differ



www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.






KHUMO Wall Light

MLWL334POLBRS Polished Brass




MATERIAL	Brass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	0.92KG 2.03lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	MLFS002
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB07 | Polished Brass
*For UL wired lights, fixing bracket may differ



KHUMO Wall Light


MLWL334SATBRS Satin Brass



MATERIAL	Brass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	0.92KG 2.03lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	MLFS002
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB07 | Satin Brass

*For UL wired lights, fixing bracket may differ



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.