

# NEWPORT Wall Light

MLWL425PCMBKANTBRSL    Antique Br



MATERIAL	Brass   Glass
HEIGHT	55.5cm   21.85"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	18.5cm   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL179
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | Antique Brass

\*For UL wired lights, fixing bracket may differ



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# NEWPORT Wall Light

MLWL425PCMBKANTBRSFR    Antique Br



MATERIAL	Brass   Glass
HEIGHT	55.5cm   21.85"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	18.5cm   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL180
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket    MLWB08 | Antique Brass  
\*For UL wired lights, fixing bracket may differ



MATERIAL	Brass   Glass
HEIGHT	55.5cm   21.85"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	18.5cm   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL183
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | Antique Brass

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## NEWPORT Wall Light

MLWL425PCMBKANTSLVCL Antique Silv



MATERIAL Brass | Glass | Steel

Fixing Bracket MLWB08 | ANTSLV

\*For UL wired lights, fixing bracket may differ

HEIGHT 55.5CM | 21.85"

WIDTH | DIAMETER 15CM | 5.91"

LENGTH | PROJECTION 18.5CM | 7.28"

WEIGHT 1.2KG | 2.65lbs

LAMPHOLDER E27 or E26

MAX WATTAGE 40W x 1

VOLTAGE 220/240v or 110/120v

IP RATING 20

CLASS PROTECTION I

SHADE GL179

FLEX | BAR | CHAIN LENGT n/a

CABLE TYPE -

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# NEWPORT Wall Light

MLWL425PCMBKANTSLVFR    Antique Sil



MATERIAL	Brass   Glass   Steel
HEIGHT	55.5CM   21.85"
WIDTH   DIAMETER	15CM   5.91"
LENGTH   PROJECTION	18.5CM   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL180
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | ANTSLV  
 \*For UL wired lights, fixing bracket may differ



Product Notes:  
 1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# NEWPORT Wall Light

MLWL425PCMBKANTSLVSM    Antique Sil



MATERIAL	Brass   Glass
HEIGHT	55.5cm   21.85"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	18.5cm   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL183
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket    MLWB08 | Antique Silver  
 \*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## NEWPORT Wall Light

MLWL425PCMBKPOLBRSC L Polished B



MATERIAL	Brass   Glass   Steel
HEIGHT	55.5CM   21.85"
WIDTH   DIAMETER	15CM   5.91"
LENGTH   PROJECTION	18.5CM   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL179
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | POLBRS

\*For UL wired lights, fixing bracket may differ



www.mullanlighting.com


#### Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# NEWPORT Wall Light

MLWL425PCMBKPOLBRSFR Polished B



MATERIAL	Brass   Glass   Steel
HEIGHT	55.5CM   21.85"
WIDTH   DIAMETER	15CM   5.91"
LENGTH   PROJECTION	18.5CM   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL180
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | POLBRS  
 \*For UL wired lights, fixing bracket may differ



Product Notes:  
 1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.






MATERIAL	Brass   Glass
HEIGHT	55.5cm   21.85"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	18.5cm   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL183
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | Polished Brass

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass   Glass   Steel
HEIGHT	55.5CM   21.85"
WIDTH   DIAMETER	15CM   5.91"
LENGTH   PROJECTION	18.5CM   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL179
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | SATBRS

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# NEWPORT Wall Light

MLWL425PCMBKSATBRSFR Satin Brass



MATERIAL	Brass   Glass   Steel
HEIGHT	55.5CM   21.85"
WIDTH   DIAMETER	15CM   5.91"
LENGTH   PROJECTION	18.5CM   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL180
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | SATBRS

\*For UL wired lights, fixing bracket may differ



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# NEWPORT Wall Light

MLWL425PCMBKSATBRSSM    Satin Brass



MATERIAL	Brass   Glass
HEIGHT	55.5cm   21.85"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	18.5cm   7.28"
WEIGHT	1.2KG   2.65lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL183
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB08 | Satin Brass  
 \*For UL wired lights, fixing bracket may differ



Product Notes:  
 1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

