


MONROE Bathroom Light


MLBWL105ANTBRSC L Antique Brass



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP01
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLWB12 | Antique Brass

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MONROE Bathroom Light


MLBWL105ANTBRSOP Antique Brass



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP02
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber


Fixing Bracket MLWB12 | Antique Brass

* Fixing bracket may differ for UL wired products.



MONROE Bathroom Light


MLBWL105ANTSLVCL Antique Silver



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP01
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Antique Silver

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MONROE Bathroom Light

MLBWL105ANTSLVOP


Antique Silver



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP02
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Antique Silver

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MONROE Bathroom Light

MLBWL105NATBRSC


Natural Brass



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP01
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Natural Brass

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MONROE Bathroom Light

MLBWL105NATBRSOP


Natural Brass



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP02
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Natural Brass

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MONROE Bathroom Light


MLBWL105POLBRSCS Polished Brass



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP01
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Polished Brass

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MONROE Bathroom Light

MLBWL105POLBRSOP


Polished Brass



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP02
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Polished Brass

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MONROE Bathroom Light

MLBWL105SATBRSC


Satin Brass



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP01
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Satin Brass

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MONROE Bathroom Light

MLBWL105SATBRSOP


Satin Brass



MATERIAL	Brass Glass
HEIGHT	77-102cm 30.31-40.16"
WIDTH DIAMETER	17.5cm 6.89"
LENGTH PROJECTION	31.5cm 12.4"
WEIGHT	2.22KG 4.89lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	GL146 GLWP02
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Satin Brass

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.