NEHIR Wall Light

MLWL439ANTBRS Antique Brass



MATERIAL	Brass Glass	Fixi
HEIGHT	26cm 10.24"	
WIDTH DIAMETER	20cm 7.87"	
LENGTH PROJECTION	17.5cm 6.89"	
WEIGHT	1.4KG 3.09lbs	
LAMPHOLDER	E27 x 1	
MAX WATTAGE	4W x 1	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	1	
SHADE	GL194	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE	-	

Fixing Bracket MLWB18





NEHIR Wall Light

MLWL439ANTSLV Antique Silver



MATERIAL	Brass Glass	Fixir
HEIGHT	26cm 10.24''	
WIDTH DIAMETER	20cm 7.87"	
LENGTH PROJECTION	17.5cm 6.89"	
WEIGHT	1.4KG 3.09lbs	
LAMPHOLDER	E27 x 1	
MAX WATTAGE	4W x 1	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	1	
SHADE	GL194	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE		

Fixing Bracket MLWB18







NEHIR Wall Light

MLWL439PCMBK Matt Black



MATERIAL	Brass Glass	Fixing Bracket	MLWB18
HEIGHT	26cm 10.24"		
WIDTH DIAMETER	20cm 7.87"		
LENGTH PROJECTION	17.5cm 6.89"		
WEIGHT	1.4KG 3.09lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	4W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	GL194		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		





NEHIR Wall Light

MLWL439POLBRS Polished Brass



MATERIAL	Brass Glass	Fixi
HEIGHT	26cm 10.24"	
WIDTH DIAMETER	20cm 7.87"	
LENGTH PROJECTION	17.5cm 6.89"	
WEIGHT	1.4KG 3.09lbs	
LAMPHOLDER	E27 x 1	
MAX WATTAGE	4W x 1	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	1	
SHADE	GL194	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE		

Fixing Bracket MLWB18





NEHIR Wall Light

MLWL439SATBRS Satin Brass



MATERIAL	Brass Glass	Fixi
HEIGHT	26cm 10.24"	
WIDTH DIAMETER	20cm 7.87"	
LENGTH PROJECTION	17.5cm 6.89"	
WEIGHT	1.4KG 3.09lbs	
LAMPHOLDER	E27 x 1	
MAX WATTAGE	4W x 1	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	1	
SHADE	GL194	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE		

Product Notes:

ting Bracket MLWB18

Product Notes: 1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



91

EST. 2009