


MATERIAL	Ceramic   Brass
HEIGHT	11cm   4.33"
WIDTH   DIAMETER	28cm   11.02"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	44
CLASS PROTECTION	II
SHADE CODE	MLCS077   GLWP01
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLOCA001   2 Core Round   Brown Braid   Rubber


### Fixing Bracket MLWB17

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Ceramic   Brass
HEIGHT	11cm   4.33"
WIDTH   DIAMETER	28cm   11.02"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	44
CLASS PROTECTION	II
SHADE CODE	MLCS077   GLWP01
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber


### Fixing Bracket MLWB17

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Ceramic   Brass
HEIGHT	11cm   4.33"
WIDTH   DIAMETER	28cm   11.02"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	44
CLASS PROTECTION	II
SHADE CODE	MLCS077   GLWP01
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber


### Fixing Bracket MLWB17

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Ceramic   Brass
HEIGHT	11cm   4.33"
WIDTH   DIAMETER	28cm   11.02"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	44
CLASS PROTECTION	II
SHADE CODE	MLCS077   GLWP01
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber


### Fixing Bracket MLWB17

\* Fixing bracket may differ for UL wired products.



#### Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Ceramic   Brass
HEIGHT	11cm   4.33"
WIDTH   DIAMETER	28cm   11.02"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	44
CLASS PROTECTION	II
SHADE CODE	MLCS077   GLWP01
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	MLOCA002   2 Core Round   Black Braid   Rubber

### Fixing Bracket MLWB17

\* Fixing bracket may differ for UL wired products.



#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.