



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA007 3 Core Twist Brown Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA007 3 Core Twist Brown Braid PVC

Fixing Bracket -
* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MARRAKESH Table Lamp

MLTL081ANTBRSOP Antique Brass



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA007 3 Core Twist Brown Braid PVC

Fixing Bracket -
* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA007 3 Core Twist Brown Braid PVC

Fixing Bracket -
* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA007 3 Core Twist Brown Braid PVC

Fixing Bracket -
* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA007 3 Core Twist Brown Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MARRAKESH Table Lamp

MLTL081ANTSLVFR Antique Silver



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MARRAKESH Table Lamp

MLTL081ANTSLVOP Antique Silver



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

MARRAKESH Table Lamp

MLTL081ANTSLVPCMBKCL Antique Silv



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -
* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL1208
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MARRAKESH Table Lamp

MLTL081SATPCRGRCL Racing Green

MATERIAL	Brass	Fixing Bracket - * Fixing bracket may differ for UL wired products.
HEIGHT	42cm 16.54"	
WIDTH DIAMETER	35cm 13.78"	
LENGTH PROJECTION	n/a	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL196	
CABLE CHAIN BAR LENGT	150cm 60"	
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC	



www.mullanlighting.com

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MARRAKESH Table Lamp

MLTL081SATPCRGRFR Racing Green

MATERIAL	Brass	Fixing Bracket - * Fixing bracket may differ for UL wired products.
HEIGHT	42cm 16.54"	
WIDTH DIAMETER	35cm 13.78"	
LENGTH PROJECTION	n/a	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL208	
CABLE CHAIN BAR LENGT	150cm 60"	
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC	



www.mullanlighting.com

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass
HEIGHT	42cm 16.54"
WIDTH DIAMETER	35cm 13.78"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	150cm 60"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket -
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.