

# RIVALE Ceramic Ceiling Fitting

MLCMCF023ANTBRS


Antique Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# RIVALE Ceramic Ceiling Fitting

MLCMCF023ANTBRSC


Antique Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# RIVALE Ceramic Ceiling Fitting

MLCMCF023ANTBRSFR


Antique Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# RIVALE Ceramic Ceiling Fitting


MLCMCF023ANTSLV Antique Silver



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# RIVALE Ceramic Ceiling Fitting

MLCMCF023ANTSLVCL


Antique Silver



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# RIVALE Ceramic Ceiling Fitting

MLCMCF023ANTSLVFR


Antique Silver



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





RIVALE Ceramic Ceiling Fitting


MLCMCF023PCMBK Matt Black



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



www.mullanlighting.com

Product Notes:  
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# RIVALE Ceramic Ceiling Fitting

MLCMCF023PCMBKCL Matt Black




POWDER-COATED  
MATTE BLACK

MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






RIVALE Ceramic Ceiling Fitting

MLCMCF023PCMBKFR    Matt Black



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket    MLWB11  
\* Fixing bracket may differ for UL wired products.



## RIVALE Ceramic Ceiling Fitting

MLCMCF023POLBRS


Polished Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

### Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.


# RIVALE Ceramic Ceiling Fitting    MLCMCF023POLBRSCCL    Polished Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket    MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.


# RIVALE Ceramic Ceiling Fitting    MLCMCF023POLBRSFR    Polished Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket    MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# RIVALE Ceramic Ceiling Fitting


MLCMCF023SATBRS Satin Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# RIVALE Ceramic Ceiling Fitting

MLCMCF023SATBRSC


Satin Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# RIVALE Ceramic Ceiling Fitting

MLCMCF023SATBRSFR


Satin Brass



MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	21cm   8.27"
LENGTH   PROJECTION	13cm   5.12"
WEIGHT	0.7KG   1.54lbs
LAMP HOLDER	G9
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208   MLCS060
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

## Fixing Bracket MLWB11

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.