



CHULAINN Chandelier

MLF196ANTBRS Antique Brass




MATERIAL	Brass
HEIGHT	27cm 10.63"
WIDTH DIAMETER	81-88cm 31.89-34.65"
LENGTH PROJECTION	n/a
WEIGHT	6KG 13.23lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	60W x 5
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA029 3 Core Round Black Braid PVC

Fixing Bracket MLWB17 | Antique Brass




CHULAINN Chandelier

MLF196ANTSLV Antique Silver



MATERIAL	Brass
HEIGHT	27cm 10.63"
WIDTH DIAMETER	81-88cm 31.89-34.65"
LENGTH PROJECTION	n/a
WEIGHT	6KG 13.23lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	60W x 5
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA046 3 Core Round Brown Braid PVC

Fixing Bracket MLWB17 | Antique Silver




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


CHULAINN Chandelier

MLF196SATBRS Satin Brass



MATERIAL	Brass
HEIGHT	27cm 10.63"
WIDTH DIAMETER	81-88cm 31.89-34.65"
LENGTH PROJECTION	n/a
WEIGHT	6KG 13.23lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	60W x 5
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA046 3 Core Round Brown Braid PVC

Fixing Bracket MLWB17 | Polished Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

