


DYLAN Bathroom Light


MLBWL106ANTBRS

Antique Brass



MATERIAL	Brass Glass
HEIGHT	84-120cm 33.07-47.24"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	27.5cm 10.83"
WEIGHT	1.7kg 3.75lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB12 | Antique Brass



www.mullanlighting.com


Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



DYLAN Bathroom Light

MLBWL106ANTSLV

Antique Silver



MATERIAL Brass | Glass

HEIGHT 84-120cm | 33.07-47.24"

WIDTH | DIAMETER 12cm | 4.72"

LENGTH | PROJECTION 27.5cm | 10.83"

WEIGHT 1.7kg | 3.75lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT n/a

CABLE TYPE

FIXING BRACKET MLWB12 | Antique Silver




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


DYLAN Bathroom Light

MLBWL106NATBRS



MATERIAL	Brass Glass
HEIGHT	84-120cm 33.07-47.24"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	27.5cm 10.83"
WEIGHT	1.7kg 3.75lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	


FIXING BRACKET MLWB12 | Natural Brass



DYLAN Bathroom Light

MLBWL106POLBRS

Polished Brass



MATERIAL Brass | Glass

HEIGHT 84-120cm | 33.07-47.24"

WIDTH | DIAMETER 12cm | 4.72"

LENGTH | PROJECTION 27.5cm | 10.83"

WEIGHT 1.7kg | 3.75lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT n/a

CABLE TYPE

FIXING BRACKET MLWB12 | Polished Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

DYLAN Bathroom Light


MLBWL106SATBRS

Satin Brass



MATERIAL	Brass Glass
HEIGHT	84-120cm 33.07-47.24"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	27.5cm 10.83"
WEIGHT	1.7kg 3.75lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB12 | Satin Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

