



MATERIAL	Brass	Fixing Bracket	MLWB17 Antique Brass
HEIGHT	28cm 11.02"		
WIDTH DIAMETER	28cm 11.02"		
LENGTH PROJECTION	10cm 3.94"		
WEIGHT	1.3KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass	Fixing Bracket	MLWB17 Antique Silver
HEIGHT	28cm 11.02"		
WIDTH DIAMETER	28cm 11.02"		
LENGTH PROJECTION	10cm 3.94"		
WEIGHT	1.3KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

BOG Ceramic Wall Light

MLCMWL013PCMBK Matt Black



MATERIAL	Brass	Fixing Bracket MLWB17 Matt Black
HEIGHT	28cm 11.02"	
WIDTH DIAMETER	28cm 11.02"	
LENGTH PROJECTION	10cm 3.94"	
WEIGHT	1.3KG	
LAMPHOLDER	E27 x 1	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	I	
SHADE	-	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE	-	

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass	Fixing Bracket	MLWB17 Polished Brass
HEIGHT	28cm 11.02"		
WIDTH DIAMETER	28cm 11.02"		
LENGTH PROJECTION	10cm 3.94"		
WEIGHT	1.3KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass	Fixing Bracket MLWB17 Satin Brass
HEIGHT	28cm 11.02"	
WIDTH DIAMETER	28cm 11.02"	
LENGTH PROJECTION	10cm 3.94"	
WEIGHT	1.3KG	
LAMPHOLDER	E27 x 1	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	I	
SHADE	-	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE	-	

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.