


## VICTORIA Pendant

MLP458ANTBRS    Antique Brass



MATERIAL                      Brass | Steel

Fixing Bracket    MLWB17 | Antique Brass

HEIGHT                        10cm | 3.94"

WIDTH | DIAMETER        57cm | 22.44"

LENGTH | PROJECTION    n/a

WEIGHT                      2.9KG

LAMPHOLDER              E27 x 2

MAX WATTAGE             60W x 2

VOLTAGE                    220/240v

IP RATING                    20

CLASS PROTECTION        I

SHADE                        -

FLEX | BAR | CHAIN LENGT    100cm | 40"

CABLE TYPE                 MLCA046 | 3 Core Round | Brown Braid | PVC


**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## VICTORIA Pendant

MLP458ANTSLV Antique Silver



MATERIAL Brass | Steel

Fixing Bracket MLWB17 | Antique Silver

HEIGHT 10cm | 3.94"

WIDTH | DIAMETER 57cm | 22.44"

LENGTH | PROJECTION n/a

WEIGHT 2.9KG

LAMPHOLDER E27 x 2

MAX WATTAGE 60W x 2

VOLTAGE 220/240v

IP RATING 20

CLASS PROTECTION I

SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA029 | 3 Core Round | Black Braid | PVC



[www.mullanlighting.com](http://www.mullanlighting.com)

### Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





## VICTORIA Pendant

MLP458POLBRS Polished Brass



MATERIAL Brass | Steel

Fixing Bracket MLWB17 | Polished Brass

HEIGHT 10cm | 3.94"

WIDTH | DIAMETER 57cm | 22.44"

LENGTH | PROJECTION n/a

WEIGHT 2.9KG

LAMPHOLDER E27 x 2

MAX WATTAGE 60W x 2

VOLTAGE 220/240v

IP RATING 20

CLASS PROTECTION I

SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA029 | 3 Core Round | Black Braid | PVC



[www.mullanlighting.com](http://www.mullanlighting.com)

### Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





## VICTORIA Pendant

MLP458SATBRS Satin Brass



MATERIAL Brass | Steel

Fixing Bracket MLWB17 | Satin Brass

HEIGHT 10cm | 3.94"

WIDTH | DIAMETER 57cm | 22.44"

LENGTH | PROJECTION n/a

WEIGHT 2.9KG

LAMPHOLDER E27 x 2

MAX WATTAGE 60W x 2

VOLTAGE 220/240v

IP RATING 20

CLASS PROTECTION I

SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA029 | 3 Core Round | Black Braid | PVC



[www.mullanlighting.com](http://www.mullanlighting.com)

### Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

