



# JAM Wall Light

MLWL220ANTBRS    Antique Brass



MATERIAL	Brass   Steel   Glass
HEIGHT	35cm   13.78"
WIDTH   DIAMETER	10cm   3.94"
LENGTH   PROJECTION	23cm   9.06"
WEIGHT	0.92KG
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	Jam Jar
FLEX   BAR   CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket    MLWB03 | Antique Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# JAM Wall Light

MLWL220ANTSLV    Antique Silver



**MATERIAL**                      Brass | Steel | Glass

**HEIGHT**                              35cm | 13.78"

**WIDTH | DIAMETER**              10cm | 3.94"

**LENGTH | PROJECTION**        26cm | 10.24"

**WEIGHT**                              0.92KG

**LAMPHOLDER**                    E27 x 1

**MAX WATTAGE**                    40W x 1

**VOLTAGE**                            220/240v

**IP RATING**                            20


**CLASS PROTECTION**            I

**SHADE**                                Jam Jar

**FLEX | BAR | CHAIN LENGT**    n/a

**CABLE TYPE**                        -

**Fixing Bracket**    MLWB03 | Antique Silver




**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## JAM Wall Light

MLWL220POLBRS Polished Brass



**MATERIAL** Brass | Steel | Glass

**HEIGHT** 35cm | 13.78"

**WIDTH | DIAMETER** 10cm | 3.94"

**LENGTH | PROJECTION** 26cm | 10.24"

**WEIGHT** 0.92KG

**LAMPHOLDER** E27 x 1

**MAX WATTAGE** 40W x 1

**VOLTAGE** 220/240v

**IP RATING** 20


**CLASS PROTECTION** I

**SHADE** Jam Jar

**FLEX | BAR | CHAIN LENGT** n/a

**CABLE TYPE**

**Fixing Bracket** MLWB03 | Polished Brass




**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## JAM Wall Light

MLWL220SATBRS Satin Brass



**MATERIAL** Brass | Steel | Glass

**HEIGHT** 35cm | 13.78"

**WIDTH | DIAMETER** 10cm | 3.94"

**LENGTH | PROJECTION** 26cm | 10.24"

**WEIGHT** 0.92KG

**LAMPHOLDER** E27 x 1

**MAX WATTAGE** 40W x 1

**VOLTAGE** 220/240v

**IP RATING** 20


**CLASS PROTECTION** I

**SHADE** Jam Jar

**FLEX | BAR | CHAIN LENGT** n/a

**CABLE TYPE** -

**Fixing Bracket** MLWB03 | Satin Brass



**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.