




Antique Brass MLF344ANTBRS





MATERIAL	Eudvv##Ideulf
HEIGHT	453fp ##: 157*
WIDTH DIAMETER	45:fp #83*
LENGTH PROJECTION	q2d
WEIGHT	49NJ##\$815:œv
LAMPHOLDER	H5:#(#45
MAX WATTAGE	73Z 抵推5
VOLTAGE	553 <i>2</i> 573y
IP RATING	53
CLASS PROTECTION	L
SHADE	POIV33;
FLEX BAR CHAIN LENGT	433fp
CABLE TYPE	P OFD369###ruh#Jrxqg##Eurz q##\$YF

Fixing Bracket POZE4:##Pqwtxh#cudvv











Antique Silver MLF344ANTSLV





MATERIAL	Eudvv##Ideulf
HEIGHT	453fp ##:157*
WIDTH DIAMETER	45:fp #83*
LENGTH PROJECTION	q2d
WEIGHT	49NJ##6815: @ev
LAMPHOLDER	H5:##5
MAX WATTAGE	732 ##5
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	POIV33;
FLEX BAR CHAIN LENGT	433fp ##3*
CABLE TYPE	P OFD346###Fruh#Jrxqg##Fondu#\$YF

Fixing Bracket POZE4: ##Dqwltxh#/ layhu










MLF344POLBRS


Polished Brass





MATERIAL	Eudvv##deulf
HEIGHT	453fp ##7:157*
WIDTH DIAMETER	45:fp #83*
LENGTH PROJECTION	q2d
WEIGHT	49NJ##5815:œv
LAMPHOLDER	H5:##45
MAX WATTAGE	73Z ##5
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	POIV33;
FLEX BAR CHAIN LENGT	433fp ##3*
CABLE TYPE	P OFD345####ruh#Jrxqg##Jrg##\$YF

Fixing Bracket POZE4: ##Srdwkhg#Eudvv










MLF344SATBRS Satin Brass





MATERIAL	Eudvv##Ideulf
HEIGHT	453fp ##:157*
WIDTH DIAMETER	45:fp #83*
LENGTH PROJECTION	q2d
WEIGHT	49NJ##5815:œv
LAMPHOLDER	H5:##45
MAX WATTAGE	73Z ##5
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	POIV33;
FLEX BAR CHAIN LENGT	433fp ##3*
CABLE TYPE	P OFD345##6fruhflrxqg#flrg#f8YF

Fixing Bracket POZE4:#Wdwlq#Eudvv

