


LYX Wall Light

MLWL360ANTBRS Antique Brass



MATERIAL Brass | Glass

HEIGHT 31cm

WIDTH | DIAMETER 18.5cm

LENGTH | PROJECTION 32cm

WEIGHT 0.9 kg

LAMPHOLDER E27

MAX WATTAGE 40W

VOLTAGE 220/240v

IP RATING IP20


CLASS PROTECTION Class I

SHADE GL146

FLEX | BAR | CHAIN LENGTH n/a

CABLE TYPE - |

FIXING BRACKET: MLWB03 | Antique Brass




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) Refer to our website for a full list of terms and conditions.


LYX Wall Light

MLWL360ANTSLV Antique Silver




MATERIAL	Brass Glass
HEIGHT	31cm
WIDTH DIAMETER	18.5cm
LENGTH PROJECTION	32cm
WEIGHT	0.9 kg
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	Class I
SHADE	GL146
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET: MLWB03 | Antique Silver




LYX Wall Light

MLWL360POLBRS Polished Brass




MATERIAL	Brass Glass
HEIGHT	31cm
WIDTH DIAMETER	18.5cm
LENGTH PROJECTION	32cm
WEIGHT	0.9 kg
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	Class I
SHADE	GL146
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET: MLWB03 | Polished Brass



LYX Wall Light

MLWL360SATBRS Satin Brass



MATERIAL Brass | Glass

HEIGHT 31cm

WIDTH | DIAMETER 18.5cm

LENGTH | PROJECTION 32cm

WEIGHT 0.9 kg

LAMPHOLDER E27

MAX WATTAGE 40W

VOLTAGE 220/240v

IP RATING IP20


CLASS PROTECTION Class I

SHADE GL146

FLEX | BAR | CHAIN LENGTH n/a

CABLE TYPE - |

FIXING BRACKET: MLWB03 | Satin Brass



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) Refer to our website for a full list of terms and conditions.