

MLWL451ANTBRSKNUCL Antique Brass



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTBRSKNUFR **Antique Brass**



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91''	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91''	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTBRSKNUOP **Antique Brass**



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square





Product Notes: Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTBRSPCMSBKNUCL Antiqu



MATERIAL	Brass	Fixing * Fixing
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84''	
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	

Product Notes:

g Bracket MLWB12

ig bracket may differ for UL wired products.



 \bigcirc







MLWL451ANTBRSPCMSBKNUFR Antiq







MATERIAL	Brass
HEIGHT	15cm 5.91"
WIDTH DIAMETER	25cm 9.84''
LENGTH PROJECTION	15cm 5.91"
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	69
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	1
SHADE CODE	GL208 MLL031
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Product Notes:

Fixing Bracket MLWB12

* Fixing bracket may differ for UL wired products.



 \bigcirc







MLWL451ANTBRSPCMSBKNUOP Antiq





MATERIAL	Brass
HEIGHT	15cm 5.91"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	15cm 5.91"
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	1
SHADE CODE	GL192 MLL031
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	

Product Notes:

Fixing Bracket MLWB12

* Fixing bracket may differ for UL wired products.



 \bigcirc







MLWL451ANTBRSPCMSBPLACL Antiqu





MATERIAL	Brass
HEIGHT	15cm 5.91"
WIDTH DIAMETER	25cm 9.84''
LENGTH PROJECTION	15cm 5.91"
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196 MLL031
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	

Product Notes:

Fixing Bracket MLWB12

* Fixing bracket may differ for UL wired products.









MLWL451ANTBRSPCMSBPLAFR Antiqu





MATERIAL	Brass
HEIGHT	15cm 5.91"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	15cm 5.91"
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	1
SHADE CODE	GL208 MLL031
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Product Notes:

Fixing Bracket MLWB12

* Fixing bracket may differ for UL wired products.



 \bigcirc







MLWL451ANTBRSPCMSBPLAOP Antiqu





MATERIAL	Brass	F *
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84''	
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	

Product Notes:

Fixing Bracket MLWB12

* Fixing bracket may differ for UL wired products.



 \bigcirc







MLWL451ANTBRSPLACL **Antique Brass**



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired product
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84''	
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	_
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



products



Product Notes: Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTBRSPLAFR **Antique Brass**

06

0



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	- 11.5cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL208 MLL031	_
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square

EST. 2009 mullan TAILOR-MA

Product Notes:





MLWL451ANTBRSPLAOP **Antique Brass**



MATERIAL	Brass
HEIGHT	15cm 5.91"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	15cm 5.91"
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192 MLL031
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Product Notes:

Fixing Bracket MLWB12

* Fixing bracket may differ for UL wired products.









MLWL451ANTSLVKNUCL Antique Silver



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	R
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTSLVKNUFR Antique Silver



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTSLVKNUOP Antique Silver



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTSLVPCMBKKNUCL Antiqu



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTSLVPCMBKKNUFR Antiqu



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



352.00



MLWL451ANTSLVPCMBKKNUOP Antiqu





MATERIAL	Brass	Fixin
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84"	
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		

Product Notes:

g Bracket MLWB12

g bracket may differ for UL wired products.



 \bigcirc







MLWL451ANTSLVPCMBKPLACL Antiqu



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTSLVPCMBKPLAFR Antiqu





MATERIAL	Brass	Fixing E * Fixing br
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84''	
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	

Product Notes:

Bracket MLWB12

pracket may differ for UL wired products.



 \bigcirc







MLWL451ANTSLVPCMBKPLAOP Antiqu



MATERIAL	Brass
HEIGHT	15cm 5.91"
WIDTH DIAMETER	25cm 9.84''
LENGTH PROJECTION	15cm 5.91"
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	1
SHADE CODE	GL192 MLL031
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Product Notes:

Fixing Bracket MLWB12

* Fixing bracket may differ for UL wired products.



 \bigcirc



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTSLVPLACL Antique Silver

Ø 250.00 145.00 Ø140.00 Ø80.00 Ø115.00 352.00 ANTIQUE SILVER

MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTSLVPLAFR Antique Silver



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451ANTSLVPLAOP Antique Silver

 ANTIQUE SILVER

MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



352.00



MLWL451PCMSBKNUCL



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451PCMSBKNUFR



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91''	11.5cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91''	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



0



MLWL451PCMSBKNUOP



MATERIAL	Brass	Fixing Bracket MLWB12 Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



0



MLWL451PCMSBPLACL



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



0



MLWL451PCMSBPLAFR



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



0



MLWL451PCMSBPLAOP



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451PCRGRKNUCL Racing Green

 POWDER-COATED

 RACING GREEN

MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL196 MLL031	_
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451PCRGRKNUFR **Racing Green**



HEIGHT 15cm 5.91" WIDTH DIAMETER 25cm 9.84" LENGTH PROJECTION 15cm 5.91" WEIGHT 1.3KG 2.87lbs LAMP HOLDER 69 MAX WATTAGE 6.5W x 1	MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
WIDTH DIAMETER 25cm 9.84" LENGTH PROJECTION 15cm 5.91" WEIGHT 1.3KG 2.87lbs LAMP HOLDER 69 MAX WATTAGE 6.5w x 1 VOLTAGE 220/240v or 110/120v + IP RATING 20 CLASS PROTECTION I SHADE CODE GL208 MLL031 CABLE CHAIN BAR LENGT n/a	HEIGHT	15cm 5.91"	-11.5cm
WEIGHT 1.3KG 2.87lbs LAMP HOLDER G9 MAX WATTAGE 6.5W x 1 VOLTAGE 220/240v or 110/120v + IP RATING 20 CLASS PROTECTION I SHADE CODE GL208 MLL031 CABLE CHAIN BAR LENGT n/a	WIDTH DIAMETER	25cm 9.84''	7cm
LAMP HOLDER 69 MAX WATTAGE 6.5W x 1 VOLTAGE 220/240v or 110/120v * IP RATING 20 CLASS PROTECTION I SHADE CODE GL208 MLL031 CABLE CHAIN BAR LENGT n/a	LENGTH PROJECTION	15cm 5.91"	
MAX WATTAGE 6.5W x 1 VOLTAGE 220/240v or 110/120v * IP RATING 20 CLASS PROTECTION I SHADE CODE GL208 MLL031 CABLE CHAIN BAR LENGT n/a	WEIGHT	1.3KG 2.87lbs	
VOLTAGE 220/240v or 110/120v* IP RATING 20 CLASS PROTECTION I SHADE CODE GL208 MLL031 CABLE CHAIN BAR LENGT n/a	LAMP HOLDER	G9	
IP RATING 20 CLASS PROTECTION I SHADE CODE GL208 MLL031 CABLE CHAIN BAR LENGT n/a	MAX WATTAGE	6.5W x 1	
CLASS PROTECTION I SHADE CODE GL208 MLL031 CABLE CHAIN BAR LENGT n/a	VOLTAGE	220/240v or 110/120v *	
SHADE CODE GL208 MLL031 CABLE CHAIN BAR LENGT n/a	IP RATING	20	
CABLE CHAIN BAR LENGT n/a	CLASS PROTECTION	1	
	SHADE CODE	GL208 MLL031	
CABLE TYPE -	CABLE CHAIN BAR LENGT	n/a	
	CABLE TYPE	-	\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451PCRGRKNUOP Racing Green



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451PCRGRPLACL **Racing Green**



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451PCRGRPLAFR Racing Green



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451PCRGRPLAOP Racing Green



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




MLWL451POLBRSKNUCL **Polished Bras**



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	_
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451POLBRSKNUFR Polished Bras



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451POLBRSKNUOP Polished Bras



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE		\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451POLBRSPLACL Polished Bras



HEIGHT 15cm 5.91" WIDTH DIAMETER 25cm 9.84" LENGTH PROJECTION 15cm 5.91" WEIGHT 1.3KG 2.87lbs LAMP HOLDER 69 MAX WATTAGE 6.5W x 1 VOLTAGE 220/240v or 110/120v + IP RATING 20 CLASS PROTECTION 1	
WIDTH DIAMETER25cm 9.84"LENGTH PROJECTION15cm 5.91"WEIGHT1.3KG 2.87lbsLAMP HOLDERG9MAX WATTAGE6.5W x 1VOLTAGE220/240v or 110/120v*IP RATING20CLASS PROTECTION1	
WEIGHT1.3KG 2.87lbsLAMP HOLDERG9MAX WATTAGE6.5W x 1VOLTAGE220/240v or 110/120v *IP RATING20CLASS PROTECTIONI	
LAMP HOLDERG9MAX WATTAGE6.5W x 1VOLTAGE220/240v or 110/120v *IP RATING20CLASS PROTECTIONI	
MAX WATTAGE6.5W x 1VOLTAGE220/240v or 110/120v +IP RATING20CLASS PROTECTIONI	SN &
VOLTAGE220/240v or 110/120v +IP RATING20CLASS PROTECTIONI	
IP RATING 20 CLASS PROTECTION I	
CLASS PROTECTION I	//////
SHADE CODE GL196 MLL031	
CABLE CHAIN BAR LENGT n/a	\searrow
CABLE TYPE -	



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451POLBRSPLAFR **Polished Bras**



MATERIAL	Brass	Fixing Bracket MLWB12 Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	_
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451POLBRSPLAOP **Polished Bras**



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSKNUCL Satin Brass



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	- 11.5cm
WIDTH DIAMETER	25cm 9.84"	-7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	_
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



066



MLWL451SATBRSKNUFR Satin Brass



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions. Product Notes:





MLWL451SATBRSKNUOP Satin Brass



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	R
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPCRGRKNUCL Satin



MATERIAL	Brass	Fixing Bracket * Fixing bracket may
HEIGHT	15cm 5.91"	
WIDTH DIAMETER	25cm 9.84"	_
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	_
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	4
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	

MLWB12

differ for UL wired products.



 \bigcirc



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPCRGRKNUFR Satin



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84''	-7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPCRGRKNUOP Satin



MATERIAL	Brass
HEIGHT	15cm 5.91"
WIDTH DIAMETER	25cm 9.84''
LENGTH PROJECTION	15cm 5.91"
WEIGHT	1.3KG 2.87lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	1
SHADE CODE	GL192 MLL031
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Product Notes:

Fixing Bracket MLWB12

* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPCRGRPLACL Satin



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPCRGRPLAFR Satin



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	69	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPCRGRPLAOP Satin



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPLACL Satin Brass



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products.
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL196 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square



Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPLAFR Satin Brass



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired products
HEIGHT	15cm 5.91"	11.5cm 9cm
WIDTH DIAMETER	25cm 9.84"	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL208 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square







Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLWL451SATBRSPLAOP Satin Brass



MATERIAL	Brass	Fixing Bracket MLWB12 * Fixing bracket may differ for UL wired produ
HEIGHT	15cm 5.91"	11.5cm
WIDTH DIAMETER	25cm 9.84''	7cm
LENGTH PROJECTION	15cm 5.91"	
WEIGHT	1.3KG 2.87lbs	
LAMP HOLDER	G9	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v *	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL192 MLL031	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	-	\square

roducts





Product Notes:

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

