


Antique Brass MLWL363ANTBRS



MATERIAL	Brass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	28cm 11.02"
WEIGHT	0.74KG 1.63lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB03 | Antique Brass














Antique Silver MLWL363ANTSLV



MATERIAL	Brass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	28cm 11.02"
WEIGHT	0.74KG 1.63lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB03 | Antique Silver






I) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120 with the appropriate lampholders.






MLWL363POLBRS **Polished Brass**





MATERIAL	Brass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	28cm 11.02"
WEIGHT	0.74KG 1.63lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

Fixing Bracket MLWB03 | Polished Brass














MLWL363SATBRS Satin Brass



MATERIAL	Brass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	28cm 11.02"
WEIGHT	0.74KG 1.63lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	1
SHADE	
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB03 | Satin Brass





I) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120 with the appropriate lampholders.

