



MATERIAL	Brass Steel	Fixing Bracket	Bespoke Matt Black
HEIGHT	69cm 27.17"		
WIDTH DIAMETER	30.5cm 12.01"		
LENGTH PROJECTION	62cm 24.41"		
WEIGHT	1.9KG 4.19lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	II		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Steel	Fixing Bracket	Bespoke Matt Black
HEIGHT	69cm 27.17"		
WIDTH DIAMETER	30.5cm 12.01"		
LENGTH PROJECTION	62cm 24.41"		
WEIGHT	1.9KG 4.19lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	II		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		



MATERIAL	Brass Steel	Fixing Bracket	Bespoke Matt Black
HEIGHT	69cm 27.17"		
WIDTH DIAMETER	30.5cm 12.01"		
LENGTH PROJECTION	62cm 24.41"		
WEIGHT	1.9KG 4.19lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	II		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Steel	Fixing Bracket	Bespoke Matt Black
HEIGHT	69cm 27.17"		
WIDTH DIAMETER	30.5cm 12.01"		
LENGTH PROJECTION	62cm 24.41"		
WEIGHT	1.9KG 4.19lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	II		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		



MATERIAL	Brass Steel	Fixing Bracket	Bespoke Matt Black
HEIGHT	69cm 27.17"		
WIDTH DIAMETER	30.5cm 12.01"		
LENGTH PROJECTION	62cm 24.41"		
WEIGHT	1.9KG 4.19lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	II		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Steel	Fixing Bracket	Bespoke Matt Black
HEIGHT	69cm 27.17"		
WIDTH DIAMETER	30.5cm 12.01"		
LENGTH PROJECTION	62cm 24.41"		
WEIGHT	1.9KG 4.19lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	II		
SHADE	-		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.