

KAURI Ceramic Pendant

MLCMP063ANTBRS Antique Brass



MATERIAL Brass | Ceramic

Fixing Bracket MLWB17

HEIGHT 28cm | 11.02"

WIDTH | DIAMETER 37cm | 14.57"

LENGTH | PROJECTION n/a

WEIGHT 5.65KG | 12.46lbs

LAMPHOLDER E27 x 1

MAX WATTAGE 40W x 1

VOLTAGE 220/240v


IP RATING 20

CLASS PROTECTION I

SHADE MLCS050

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA010 | 2 Core Flat | Brown | PVC



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



KAURI Ceramic Pendant

MLCMP063ANTSLV Antique Silver



MATERIAL Brass | Ceramic

Fixing Bracket MLWB17

HEIGHT 28cm | 11.02"

WIDTH | DIAMETER 37cm | 14.57"

LENGTH | PROJECTION n/a

WEIGHT 5.65KG | 12.46lbs

LAMPHOLDER E27 x 1

MAX WATTAGE 40W x 1

VOLTAGE 220/240v



IP RATING 20

CLASS PROTECTION I

SHADE MLCS050

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA014 | 2 Core Flat | Clear | PVC



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



KAURI Ceramic Pendant

MLCMP063PCMBK Matt Black



MATERIAL Brass | Ceramic

Fixing Bracket MLWB17

HEIGHT 28cm | 11.02"

WIDTH | DIAMETER 37cm | 14.57"

LENGTH | PROJECTION n/a

WEIGHT 5.65KG | 12.46lbs

LAMPHOLDER E27 x 1

MAX WATTAGE 40W x 1

VOLTAGE 220/240v


IP RATING 20

CLASS PROTECTION I

SHADE MLCS050

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA009





KAURI Ceramic Pendant

MLCMP063POLBRS Polished Brass



MATERIAL Brass | Ceramic

Fixing Bracket MLWB17

HEIGHT 28cm | 11.02"

WIDTH | DIAMETER 37cm | 14.57"

LENGTH | PROJECTION n/a

WEIGHT 5.65KG | 12.46lbs

LAMPHOLDER E27 x 1

MAX WATTAGE 40W x 1

VOLTAGE 220/240v


IP RATING 20

CLASS PROTECTION I

SHADE MLCS050

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA038 | 2 Core Flat | Gold | PVC



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




KAURI Ceramic Pendant

MLCMP063SATBRS Satin Brass



MATERIAL	Brass Ceramic
HEIGHT	28cm 11.02"
WIDTH DIAMETER	37cm 14.57"
LENGTH PROJECTION	n/a
WEIGHT	5.65KG 12.46lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	MLCS050
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA038 2 Core Flat Gold PVC

Fixing Bracket MLWB17



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.