



MATERIAL	Brass	Fixing Bracket	MLROSE99 Antique Brass
HEIGHT	24cm 9.45"		
WIDTH DIAMETER	9.8cm 3.86"		
LENGTH PROJECTION	n/a		
WEIGHT	0.5KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA047 2 Core Round Brown Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass	Fixing Bracket	MLROSE99 Antique Silver
HEIGHT	24cm 9.45"		
WIDTH DIAMETER	9.8cm 3.86"		
LENGTH PROJECTION	n/a		
WEIGHT	0.5KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

FIGO Ceramic Pendant

MLCMP036PCMBK Matt Black



MATERIAL	Brass	Fixing Bracket	MLROSE99 Matt Black
HEIGHT	24cm 9.45"		
WIDTH DIAMETER	9.8cm 3.86"		
LENGTH PROJECTION	n/a		
WEIGHT	0.5KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

FIGO Ceramic Pendant

MLCMP036POLBRS Polished Brass



MATERIAL	Brass	Fixing Bracket	MLROSE99 Satin Brass
HEIGHT	24cm 9.45"		
WIDTH DIAMETER	9.8cm 3.86"		
LENGTH PROJECTION	n/a		
WEIGHT	0.5KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass	Fixing Bracket	MLROSE99 Polished Brass
HEIGHT	24cm 9.45"		
WIDTH DIAMETER	9.8cm 3.86"		
LENGTH PROJECTION	n/a		
WEIGHT	0.5KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.