


CLADACH Wall Light


MLWL053ANTBRSCl Antique Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL147
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Antique Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light


MLWL053ANTBRSCR Antique Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL144
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-


Fixing Bracket MLWB12 | Antique Brass

*For UL wired lights, fixing bracket may differ



CLADACH Wall Light

MLWL053ANTBRSFR Antique Brass



MATERIAL Brass | Glass

HEIGHT 28cm | 11.02"

WIDTH | DIAMETER 9.5cm | 3.74"

LENGTH | PROJECTION 17cm | 6.69"

WEIGHT 1.34KG | 2.95lbs

LAMPHOLDER E27 or E26

MAX WATTAGE 40W x 1

VOLTAGE 220/240v or 110/120v

IP RATING 65

CLASS PROTECTION II


SHADE GL148

FLEX | BAR | CHAIN LENGT n/a

CABLE TYPE -

Fixing Bracket MLWB12 | Antique Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light


MLWL053ANTSLVCL Antique Silver



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL147
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Antique Silver

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light

MLWL053ANTSLVCR


Antique Silver



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL144
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Antique Silver

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light


MLWL053ANTSLVFR Antique Silver



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL148
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Antique Silver

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light

MLWL053NATBRSC


Natural Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL147
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Natural Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light

MLWL053NATBRSCR


Natural Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL144
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Natural Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light

MLWL053NATBRSFR


Natural Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL148
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Natural Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light


MLWL053POLBRSC Polished Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL147
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Polished Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light


MLWL053POLBRSCR Polished Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL144
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Polished Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light


MLWL053POLBRSFR Polished Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL148
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Polished Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light

MLWL053SATBRSC


Satin Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL147
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Satin Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light

MLWL053SATBRSCR


Satin Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL144
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Satin Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

CLADACH Wall Light

MLWL053SATBRSFR


Satin Brass



MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	9.5cm 3.74"
LENGTH PROJECTION	17cm 6.69"
WEIGHT	1.34KG 2.95lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	65
CLASS PROTECTION	II
SHADE	GL148
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB12 | Satin Brass

*For UL wired lights, fixing bracket may differ



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.