



MATERIAL	Brass   Plastic
HEIGHT	7.1cm   2.8"
WIDTH   DIAMETER	14.9cm   5.87"
LENGTH   PROJECTION	2.2cm   0.87"
WEIGHT	0.59KG   1.3lbs
LAMP HOLDER	Integrated
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	-
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

**Fixing Bracket** -

\* Fixing bracket may differ for UL wired products.

Product Notes:

- 1) Integrated LED included.
- 2) Dimensions do not include bulbs.
- 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances.
- 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request.
- 5) Additional colour finishes may be available on request.
- 6) UL wired products operate at 110/120v with the appropriate lamp holder.
- 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead.
- 8) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass   Plastic
HEIGHT	7.1cm   2.8"
WIDTH   DIAMETER	14.9cm   5.87"
LENGTH   PROJECTION	2.2cm   0.87"
WEIGHT	0.59KG   1.3lbs
LAMP HOLDER	Integrated
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	-
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket -

\* Fixing bracket may differ for UL wired products.

Product Notes:

- 1) Integrated LED included.
- 2) Dimensions do not include bulbs.
- 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances.
- 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request.
- 5) Additional colour finishes may be available on request.
- 6) UL wired products operate at 110/120v with the appropriate lamp holder.
- 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead.
- 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Plastic
HEIGHT	7.1cm   2.8"
WIDTH   DIAMETER	14.9cm   5.87"
LENGTH   PROJECTION	2.2cm   0.87"
WEIGHT	0.59KG   1.3lbs
LAMP HOLDER	Integrated
MAX WATTAGE	5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	II
SHADE CODE	-
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

### Fixing Bracket -

\* Fixing bracket may differ for UL wired products.

#### Product Notes:

- 1) Integrated LED included.
- 2) Dimensions do not include bulbs.
- 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances.
- 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request.
- 5) Additional colour finishes may be available on request.
- 6) UL wired products operate at 110/120v with the appropriate lamp holder.
- 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead.
- 8) Refer to our website for a full list of terms and conditions.