

## QUIN Ceiling Light

MLCF50ANTBRS Antique Brass



<b>MATERIAL</b>	Brass	<b>FIXING BRACKET</b>	Bespoke   Antique Brass
<b>HEIGHT</b>	14cm   5.51"		
<b>WIDTH   DIAMETER</b>	6.5cm   2.56"		
<b>LENGTH   PROJECTION</b>	n/a		
<b>WEIGHT</b>	1kg   2.2lb		
<b>LAMPHOLDER</b>	GU10		
<b>MAX WATTAGE</b>	5W		
<b>VOLTAGE</b>	220/240v		
<b>IP RATING</b>	IP20		
<b>CLASS PROTECTION</b>	1		
<b>SHADE</b>	n/a		
<b>FLEX   BAR   CHAIN LENGTH</b>	n/a		
<b>CABLE TYPE</b>			



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# QUIN Ceiling Light

MLCF50ANTSLV    Antique Silver



<b>MATERIAL</b>	Brass	<b>FIXING BRACKET</b>	Bespoke   Antique Silver
<b>HEIGHT</b>	14cm   5.51"		
<b>WIDTH   DIAMETER</b>	6.5cm   2.56"		
<b>LENGTH   PROJECTION</b>	n/a		
<b>WEIGHT</b>	1kg   2.2lb		
<b>LAMPHOLDER</b>	GU10		
<b>MAX WATTAGE</b>	5W		
<b>VOLTAGE</b>	220/240v		
<b>IP RATING</b>	IP20		
<b>CLASS PROTECTION</b>	1		
<b>SHADE</b>	n/a		
<b>FLEX   BAR   CHAIN LENGTH</b>	n/a		
<b>CABLE TYPE</b>			



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# QUIN Ceiling Light

MLCF50PCMBK Matt Black



POWDER-COATED  
MATTE BLACK

MATERIAL	Brass	FIXING BRACKET	Bespoke   Matt Black
HEIGHT	14cm   5.51"		
WIDTH   DIAMETER	6.5cm   2.56"		
LENGTH   PROJECTION	n/a		
WEIGHT	1kg   2.2lb		
LAMPHOLDER	GU10		
MAX WATTAGE	5W		
VOLTAGE	220/240v		
IP RATING	IP20		
CLASS PROTECTION	1		
SHADE	n/a		
FLEX   BAR   CHAIN LENGTH	n/a		
CABLE TYPE			



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# QUIN Ceiling Light

MLCF50PCWTE White



<b>MATERIAL</b>	Brass	<b>FIXING BRACKET</b>	Bespoke   White
<b>HEIGHT</b>	14cm   5.51"		
<b>WIDTH   DIAMETER</b>	6.5cm   2.56"		
<b>LENGTH   PROJECTION</b>	n/a		
<b>WEIGHT</b>	1kg   2.2lb		
<b>LAMPHOLDER</b>	GU10		
<b>MAX WATTAGE</b>	5W		
<b>VOLTAGE</b>	220/240v		
<b>IP RATING</b>	IP20		
<b>CLASS PROTECTION</b>	1		
<b>SHADE</b>	n/a		
<b>FLEX   BAR   CHAIN LENGTH</b>	n/a		
<b>CABLE TYPE</b>			



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# QUIN Ceiling Light

MLCF50POLBRS Polished Brass



<b>MATERIAL</b>	Brass	<b>FIXING BRACKET</b>	Bespoke   Polished Brass
<b>HEIGHT</b>	14cm   5.51"		
<b>WIDTH   DIAMETER</b>	6.5cm   2.56"		
<b>LENGTH   PROJECTION</b>	n/a		
<b>WEIGHT</b>	1kg   2.2lb		
<b>LAMPHOLDER</b>	GU10		
<b>MAX WATTAGE</b>	5W		
<b>VOLTAGE</b>	220/240v		
<b>IP RATING</b>	IP20		
<b>CLASS PROTECTION</b>	1		
<b>SHADE</b>	n/a		
<b>FLEX   BAR   CHAIN LENGTH</b>	n/a		
<b>CABLE TYPE</b>			



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# QUIN Ceiling Light

MLCF50SATBRS Satin Brass



MATERIAL	Brass
HEIGHT	14cm   5.51"
WIDTH   DIAMETER	6.5cm   2.56"
LENGTH   PROJECTION	n/a
WEIGHT	1kg   2.2lb
LAMPHOLDER	GU10
MAX WATTAGE	5W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	1
SHADE	n/a
FLEX   BAR   CHAIN LENGTH	n/a

FIXING BRACKET Bespoke | Satin Brass

CABLE TYPE



[www.mullanlighting.com](http://www.mullanlighting.com)

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

