


# PANDO Ceramic Pendant

MLCMP005ANTBRS    Antique Brass



MATERIAL	Brass   Ceramic
HEIGHT	30cm   11.81"
WIDTH   DIAMETER	14cm   5.51"
LENGTH   PROJECTION	n/a
WEIGHT	1.6kg   3.53lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	1
SHADE	n/a
FLEX   BAR   CHAIN LENGTH	100cm   40"
CABLE TYPE	MLCA047   2 Core Round   Brown Braid   PVC

Fixing Bracket    MLROSE39 | Antique Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




**PANDO Ceramic Pendant**

MLCMP005ANTSLV    Antique Silver



MATERIAL	Brass   Ceramic
HEIGHT	30cm   11.81"
WIDTH   DIAMETER	14cm   5.51"
LENGTH   PROJECTION	n/a
WEIGHT	1.6kg   3.53lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	1
SHADE	n/a
FLEX   BAR   CHAIN LENGTH	100cm   40"
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC

Fixing Bracket    MLROSE39 | Antique Silver



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




# PANDO Ceramic Pendant

MLCMP005POLBRS Polished Brass



MATERIAL	Brass   Ceramic
HEIGHT	30cm   11.81"
WIDTH   DIAMETER	14cm   5.51"
LENGTH   PROJECTION	n/a
WEIGHT	1.6kg   3.53lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	1
SHADE	n/a
FLEX   BAR   CHAIN LENGTH	100cm   40"
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC

Fixing Bracket MLROSE39 | Polished Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




# PANDO Ceramic Pendant

MLCMP005SATBRS Satin Brass



MATERIAL	Brass   Ceramic
HEIGHT	30cm   11.81"
WIDTH   DIAMETER	14cm   5.51"
LENGTH   PROJECTION	n/a
WEIGHT	1.6kg   3.53lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	1
SHADE	n/a
FLEX   BAR   CHAIN LENGTH	100cm   40"
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC

Fixing Bracket MLROSE39 | Satin Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

