



MATERIAL	Brass Glass	Fixing Bracket MLWB17 Antique Brass
HEIGHT	30CM 11.81"	
WIDTH DIAMETER	58cm 22.83"	
LENGTH PROJECTION	n/a	
WEIGHT	2.8KG	
LAMPHOLDER	E27 x 5	
MAX WATTAGE	40W x 5	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	I	
SHADE	-	
FLEX BAR CHAIN LENGT	100cm 40"	
CABLE TYPE	MLCA036 3 Core Round Brown PVC	

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Glass	Fixing Bracket	MLWB17 Antique Silver
HEIGHT	30CM 11.81"		
WIDTH DIAMETER	58cm 22.83"		
LENGTH PROJECTION	n/a		
WEIGHT	2.8KG		
LAMPHOLDER	E27 x 5		
MAX WATTAGE	40W x 5		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA013 3 Core Round Clear PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Glass	Fixing Bracket MLWB17 Natural Brass
HEIGHT	30CM 11.81"	
WIDTH DIAMETER	58cm 22.83"	
LENGTH PROJECTION	n/a	
WEIGHT	2.8KG	
LAMPHOLDER	E27 x 5	
MAX WATTAGE	40W x 5	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	I	
SHADE	-	
FLEX BAR CHAIN LENGT	100cm 40"	
CABLE TYPE	MLCA012 3 Core Round Gold PVC	

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Glass	Fixing Bracket MLWB17 Polished Brass
HEIGHT	30CM 11.81"	
WIDTH DIAMETER	58cm 22.83"	
LENGTH PROJECTION	n/a	
WEIGHT	2.8KG	
LAMPHOLDER	E27 x 5	
MAX WATTAGE	40W x 5	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	I	
SHADE	-	
FLEX BAR CHAIN LENGT	100cm 40"	
CABLE TYPE	MLCA012 3 Core Round Gold PVC	

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Glass	Fixing Bracket MLWB17 Satin Brass
HEIGHT	30CM 11.81"	
WIDTH DIAMETER	58cm 22.83"	
LENGTH PROJECTION	n/a	
WEIGHT	2.8KG	
LAMPHOLDER	E27 x 5	
MAX WATTAGE	40W x 5	
VOLTAGE	220/240v	
IP RATING	20	
CLASS PROTECTION	I	
SHADE	-	
FLEX BAR CHAIN LENGT	100cm 40"	
CABLE TYPE	MLCA012 3 Core Round Gold PVC	

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.