




BOSTON Pendant

MLP381ANTBRS Antique Brass



MATERIAL Brass | Glass

HEIGHT 17cm | 6.69"

WIDTH | DIAMETER 21.5cm | 8.46"

LENGTH | PROJECTION n/a

WEIGHT 0.89kg | 1.96lb

LAMPHOLDER E27

MAX WATTAGE 40W

VOLTAGE 220/240v

IP RATING IP20


CLASS PROTECTION 1

SHADE GL096

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA007 | 3 Core Twist | Brown Braid | PVC

FIXING BRACKET MLROSE05GRIP | Antique Brass



www.mullanlighting.com


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



BOSTON Pendant

MLP381ANTSLV Antique Silver



MATERIAL Brass | Glass

HEIGHT 17cm | 6.69"

WIDTH | DIAMETER 21.5cm | 8.46"

LENGTH | PROJECTION n/a

WEIGHT 0.89kg | 1.96lb

LAMPHOLDER E27

MAX WATTAGE 40W

VOLTAGE 220/240v

IP RATING IP20


CLASS PROTECTION 1

SHADE GL096

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA020 | 3 Core Twist | Black Braid | PVC

FIXING BRACKET MLR0505GRIP | Antique Silver




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



BOSTON Pendant

MLP381POLBRS Polished Brass



MATERIAL Brass | Glass

HEIGHT 17cm | 6.69"

WIDTH | DIAMETER 21.5cm | 8.46"

LENGTH | PROJECTION n/a

WEIGHT 0.89kg | 1.96lb

LAMPHOLDER E27

MAX WATTAGE 40W

VOLTAGE 220/240v

IP RATING IP20


CLASS PROTECTION 1

SHADE GL096

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA020 | 3 Core Twist | Black Braid | PVC

FIXING BRACKET MLR0505GRIP | Polished Brass



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





BOSTON Pendant

MLP381POLCHR Polished Chrome



MATERIAL Brass | Glass

HEIGHT 17cm | 6.69"

WIDTH | DIAMETER 21.5cm | 8.46"

LENGTH | PROJECTION n/a

WEIGHT 0.89kg | 1.96lb

LAMPHOLDER E27

MAX WATTAGE 40W

VOLTAGE 220/240v

IP RATING IP20


CLASS PROTECTION 1

SHADE GL096

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA020 | 3 Core Twist | Black Braid | PVC

FIXING BRACKET MLR0505GRIP | Polished Chrome



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





BOSTON Pendant

MLP381POLCOP Polished Copper



MATERIAL Brass | Glass

HEIGHT 17cm | 6.69"

WIDTH | DIAMETER 21.5cm | 8.46"

LENGTH | PROJECTION n/a

WEIGHT 0.89kg | 1.96lb

LAMPHOLDER E27

MAX WATTAGE 40W

VOLTAGE 220/240v

IP RATING IP20


CLASS PROTECTION 1

SHADE GL096

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA020 | 3 Core Twist | Black Braid | PVC

FIXING BRACKET MLR0505GRIP | Copper



www.mullanlighting.com


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




BOSTON Pendant

MLP381SATBRS Satin Brass



MATERIAL	Brass Glass
HEIGHT	17cm 6.69"
WIDTH DIAMETER	21.5cm 8.46"
LENGTH PROJECTION	n/a
WEIGHT	0.89kg 1.96lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP20
CLASS PROTECTION	1
SHADE	GL096
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC


FIXING BRACKE MLROSE05GRIP | Satin Brass





BOSTON Pendant

MLP381SATCHR Satin Chrome



MATERIAL Brass | Glass

HEIGHT 17cm | 6.69"

WIDTH | DIAMETER 21.5cm | 8.46"

LENGTH | PROJECTION n/a

WEIGHT 0.89kg | 1.96lb

LAMPHOLDER E27

MAX WATTAGE 40W

VOLTAGE 220/240v

IP RATING IP20


CLASS PROTECTION 1

SHADE GL096

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA020 | 3 Core Twist | Black Braid | PVC

FIXING BRACKET MLROSE05GRIP | Satin Chrome



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

