



# BAKU Wall Light

MLWL226ANTBRS    Antique Brass



<b>MATERIAL</b>	Brass
<b>HEIGHT</b>	15-27cm   5.91-10.63"
<b>WIDTH   DIAMETER</b>	15cm   5.91"
<b>LENGTH   PROJECTION</b>	19-38cm   7.48-14.96"
<b>WEIGHT</b>	0.9kg   1.98lb
<b>LAMPHOLDER</b>	E27
<b>MAX WATTAGE</b>	25W
<b>VOLTAGE</b>	220/240v
<b>IP RATING</b>	IP20
<b>CLASS PROTECTION</b>	1
<b>SHADE</b>	-
<b>FLEX   BAR   CHAIN LENGTH</b>	n/a
<b>CABLE TYPE</b>	-

### Fixing Bracket



[www.mullanlighting.com](http://www.mullanlighting.com)


#### Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




# BAKU Wall Light

MLWL226ANTSLV    Antique Silver



<b>MATERIAL</b>	Brass
<b>HEIGHT</b>	15-27cm   5.91-10.63"
<b>WIDTH   DIAMETER</b>	15cm   5.91"
<b>LENGTH   PROJECTION</b>	19-38cm   7.48-14.96"
<b>WEIGHT</b>	0.9kg   1.98lb
<b>LAMPHOLDER</b>	E27
<b>MAX WATTAGE</b>	25W
<b>VOLTAGE</b>	220/240v
<b>IP RATING</b>	IP20
<b>CLASS PROTECTION</b>	1
<b>SHADE</b>	-
<b>FLEX   BAR   CHAIN LENGTH</b>	n/a
<b>CABLE TYPE</b>	-

### Fixing Bracket



[www.mullanlighting.com](http://www.mullanlighting.com)


#### Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




# BAKU Wall Light

MLWL226POLBRS Polished Brass



<b>MATERIAL</b>	Brass
<b>HEIGHT</b>	15-27cm   5.91-10.63"
<b>WIDTH   DIAMETER</b>	15cm   5.91"
<b>LENGTH   PROJECTION</b>	19-38cm   7.48-14.96"
<b>WEIGHT</b>	0.9kg   1.98lb
<b>LAMPHOLDER</b>	E27
<b>MAX WATTAGE</b>	25W
<b>VOLTAGE</b>	220/240v
<b>IP RATING</b>	IP20
<b>CLASS PROTECTION</b>	1
<b>SHADE</b>	-
<b>FLEX   BAR   CHAIN LENGTH</b>	n/a
<b>CABLE TYPE</b>	-

### Fixing Bracket



[www.mullanlighting.com](http://www.mullanlighting.com)


#### Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




# BAKU Wall Light

MLWL226SATBRS Satin Brass



<b>MATERIAL</b>	Brass
<b>HEIGHT</b>	15-27cm   5.91-10.63"
<b>WIDTH   DIAMETER</b>	15cm   5.91"
<b>LENGTH   PROJECTION</b>	19-38cm   7.48-14.96"
<b>WEIGHT</b>	0.9kg   1.98lb
<b>LAMPHOLDER</b>	E27
<b>MAX WATTAGE</b>	25W
<b>VOLTAGE</b>	220/240v
<b>IP RATING</b>	IP20
<b>CLASS PROTECTION</b>	1
<b>SHADE</b>	-
<b>FLEX   BAR   CHAIN LENGTH</b>	n/a
<b>CABLE TYPE</b>	-

### Fixing Bracket



[www.mullanlighting.com](http://www.mullanlighting.com)

#### Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

