



NAHLA Pendant

MLP483ANTBRS Antique Brass




MATERIAL	Budvv#HJ ævv
HEIGHT	65fp ##5 19 **
WIDTH DIAMETER	53fp ##1; : **
LENGTH PROJECTION	q2d
WEIGHT	4 15NJ ##5 198æv
LAMPHOLDER	H5 : H#
MAX WATTAGE	73Z H#
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	J04<6
FLEX BAR CHAIN LENGT	433fp ##7 3 **
CABLE TYPE	P OFD37 : ##5 H# rzh#J rrxqg##Buzr q#BudJ##BYF

Fixing Bracket P OUR VH6<




NAHLA Pendant

MLP483ANTBRSOP Antique Brass




MATERIAL	Euüvv#üüvüv
HEIGHT	65fP ##5B**
WIDTH DIAMETER	53fP ##1: **
LENGTH PROJECTION	q2d
WEIGHT	4 5NJ ##5B8æv
LAMPHOLDER	H5: # #
MAX WATTAGE	73Z # #
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	J0537
FLEX BAR CHAIN LENGT	433fP ##73**
CABLE TYPE	P OFD35; ##6 # ruh#Jrxqg##Eüfn#üüüü ##5YF

Fixing Bracket P OUR VH6<




NAHLA Pendant

MLP483ANTSLV Antique Silver




MATERIAL	Euüvv#üüüvv
HEIGHT	65fP ##5B**
WIDTH DIAMETER	53fP ##1; : **
LENGTH PROJECTION	q2d
WEIGHT	4 5NJ ##5B98æv
LAMPHOLDER	H5 : # #
MAX WATTAGE	73Z # #
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	J04<6
FLEX BAR CHAIN LENGT	433fP ##73**
CABLE TYPE	P OFD35; ##6 # ruh#jrxgg##E æfn#üüüü ##5YF

Fixing Bracket P OUR VH6<




NAHLA Pendant

MLP483ANTSLVOP Antique Silver




MATERIAL	Eudvv#U aiivv
HEIGHT	65fP ##5B**
WIDTH DIAMETER	53fP ##1; : **
LENGTH PROJECTION	q2di
WEIGHT	4 INJ ##B98œv
LAMPHOLDER	H5 : #(#
MAX WATTAGE	73Z #(#
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	J0537
FLEX BAR CHAIN LENGT	433fP ##73*
CABLE TYPE	P OFD35; ##6# rnh#Jrxgg##E œfn#Eubg##BYF

Fixing Bracket P OUR VH6<




NAHLA Pendant

MLP483POLBRS Polished Brass




MATERIAL	Euüvv#üüüvv
HEIGHT	65fP ##5B**
WIDTH DIAMETER	53fP ##1; : **
LENGTH PROJECTION	q2d
WEIGHT	4 5NJ ##5B98æv
LAMPHOLDER	H5 : # #
MAX WATTAGE	73Z # #
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	J04<6
FLEX BAR CHAIN LENGT	433fP ##73**
CABLE TYPE	P OFD35; ##6 # ruh#jrxgg##E æfn#üüüü##5YF

Fixing Bracket P OUR VH6<




NAHLA Pendant

MLP483POLBRSOP Polished Brass




MATERIAL	Euüvv#üüüvv
HEIGHT	65fP ##5B**
WIDTH DIAMETER	53fP ##1: **
LENGTH PROJECTION	q2d
WEIGHT	4 5NJ ##5B8æv
LAMPHOLDER	H5: # #
MAX WATTAGE	73Z # #
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	J0537
FLEX BAR CHAIN LENGT	433fP ##73**
CABLE TYPE	P OFD35; ##6 # ruh#Jrxqg##E æfn#Eüüü ##5YF

Fixing Bracket P OUR VH6<




NAHLA Pendant

MLP483SATBRS Satin Brass




MATERIAL	Eudivv##U@vv
HEIGHT	65fp ##5B**
WIDTH DIAMETER	53fp ##1; : **
LENGTH PROJECTION	q2d
WEIGHT	45NJ ##B98œv
LAMPHOLDER	H5 : #(#
MAX WATTAGE	73Z #(#
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	J04<6
FLEX BAR CHAIN LENGT	433fp ##73**
CABLE TYPE	P OFD35; ##6# rnh#Jrxqg##Eœfn#Eulg##6YF

Fixing Bracket P OUR VH6<



NAHLA Pendant

MLP483SATBRSOP Satin Brass



MATERIAL	Eudivv##U@vv
HEIGHT	65fp ##5B**
WIDTH DIAMETER	53fp ##1; : **
LENGTH PROJECTION	q2d
WEIGHT	45NJ ##B98œv
LAMPHOLDER	H5 : #(#
MAX WATTAGE	73Z #(#
VOLTAGE	5532573y
IP RATING	53
CLASS PROTECTION	L
SHADE	J0537
FLEX BAR CHAIN LENGT	433fp ##73**
CABLE TYPE	P OFD35; ##6# rnh#Jrxqg##Eœfn#Eulg##6YF

Fixing Bracket P OUR VH6<

