

RIVALE Ceramic Wall Light MLCMWL030ANTBRSCL **Antique Brass**





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL196 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com



RIVALE Ceramic Wall Light MLCMWL030ANTBRSFR **Antique Brass**





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | 1 |
| SHADE CODE | GL208 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11

* Fixing bracket may differ for UL wired products





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





RIVALE Ceramic Wall Light MLCMWL030ANTBRSOP **Antique Brass**





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL192 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com



RIVALE Ceramic Wall Light Antique Silver MLCMWL030ANTSLVCL





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12'' |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | 1 |
| SHADE CODE | GL196 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB11





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com



RIVALE Ceramic Wall Light Antique Silver MLCMWL030ANTSLVFR





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12'' |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | 1 |
| SHADE CODE | GL208 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11

* Fixing bracket may differ for UL wired products





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





RIVALE Ceramic Wall Light Antique Silver MLCMWL030ANTSLVOP





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL192 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com



MLCMWL030PCMBKCL Matt Black





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL196 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com



MLCMWL030PCMBKFR Matt Black





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12'' |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL208 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11

* Fixing bracket may differ for UL wired products





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com



MLCMWL030PCMBKOP Matt Black





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | 1 |
| SHADE CODE | GL192 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com



RIVALE Ceramic Wall Light MLCMWL030POLBRSCL Polished Brass





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL196 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11 * Fixing bracket may differ for UL wired products 11.7cm

9cm 7cm





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com



RIVALE Ceramic Wall Light MLCMWL030POLBRSFR **Polished Brass**





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL208 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11

* Fixing bracket may differ for UL wired products





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





RIVALE Ceramic Wall Light MLCMWL030POLBRSOP **Polished Brass**





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL192 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11

* Fixing bracket may differ for UL wired products 9cm





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLCMWL030SATBRSCL Satin Brass





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL196 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLCMWL030SATBRSFR Satin Brass





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL208 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11

* Fixing bracket may differ for UL wired products 11.7cm





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLCMWL030SATBRSOP Satin Brass





| MATERIAL | Brass Ceramic |
|---------------------------|-----------------------|
| HEIGHT | n/a |
| WIDTH DIAMETER | 21cm 8.27" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.7KG 1.54lbs |
| LAMP HOLDER | G9 |
| MAX WATTAGE | 5W x 1 |
| VOLTAGE | 220/240v or 110/120v* |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE CODE | GL192 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLWB11

* Fixing bracket may differ for UL wired products





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

