FEROX Ceramic Pendant

MLCMP075ANTBRSCL Antique Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91"
WIDTH | DIAMETER	14cm | 5.51"
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE | CHAIN | BAR LENGT	100cm | 40"
CABLE TYPE	MLCA047 | 2 Core Round | Brown Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075ANTBRSFR Antique Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91"
WIDTH | DIAMETER	14cm | 5.51"
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE | CHAIN | BAR LENGT	100cm | 40"
CABLE TYPE	MLCA047 | 2 Core Round | Brown Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075ANTBRSOP Antique Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91"
WIDTH | DIAMETER	14cm | 5.51"
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE | CHAIN | BAR LENGT	100cm | 40"
CABLE TYPE	MLCA047 | 2 Core Round | Brown Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075ANTSLVCL Antique Silver



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075ANTSLVFR Antique Silver



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075ANTSLVOP Antique Silver



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075PCMBKCL Matt Black



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075PCMBKFR Matt Black



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075PCMBKOP Matt Black



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075POLBRSCL Polished Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075POLBRSFR Polished Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075POLBRSOP Polished Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075SATBRSCL Satin Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075SATBRSFR Satin Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

FEROX Ceramic Pendant

MLCMP075SATBRSOP Satin Brass



MATERIAL	Brass | Ceramic
HEIGHT	15cm | 5.91''
WIDTH | DIAMETER	14cm | 5.51''
LENGTH | PROJECTION	n/a
WEIGHT	0.65KG | 1.43lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE | CHAIN | BAR LENGT	100cm | 40''
CABLE TYPE	MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.