


## LOME Pendant

MLP257ANTBRS    Antique Brass




MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP   Antique Brass
HEIGHT	8cm   3.15"		
WIDTH   DIAMETER	5cm   1.97"		
LENGTH   PROJECTION	n/a		
WEIGHT	0.28KG   0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA007   3 Core Twist   Brown Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## LOME Pendant

MLP257ANTSLV Antique Silver



MATERIAL	Brass
HEIGHT	8cm   3.15"
WIDTH   DIAMETER	5cm   1.97"
LENGTH   PROJECTION	n/a
WEIGHT	0.28KG   0.62lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC


Fixing Bracket MLROSE05GRIP | Antique Silver

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## LOME Pendant

MLP257PCBLK Black




MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP   Black
HEIGHT	8cm   3.15"		
WIDTH   DIAMETER	5cm   1.97"		
LENGTH   PROJECTION	n/a		
WEIGHT	0.28KG   0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## LOME Pendant

MLP257PCMBK Matt Black



MATERIAL	Brass
HEIGHT	8cm   3.15"
WIDTH   DIAMETER	5cm   1.97"
LENGTH   PROJECTION	n/a
WEIGHT	0.28KG   0.62lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC


Fixing Bracket MLROSE05GRIP | Matt Black

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## LOME Pendant

MLP257PCWTE White




MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP   White
HEIGHT	8cm   3.15"		
WIDTH   DIAMETER	5cm   1.97"		
LENGTH   PROJECTION	n/a		
WEIGHT	0.28KG   0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## LOME Pendant

MLP257POLBRS Polished Brass



MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP   Polished Brass
HEIGHT	8cm   3.15"		
WIDTH   DIAMETER	5cm   1.97"		
LENGTH   PROJECTION	n/a		
WEIGHT	0.28KG   0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC		


**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## LOME Pendant

MLP257POLCHR Polished Chrome



MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP   Polished Chrome
HEIGHT	8cm   3.15"		
WIDTH   DIAMETER	5cm   1.97"		
LENGTH   PROJECTION	n/a		
WEIGHT	0.28KG   0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC		



www.mullanlighting.com


#### Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## LOME Pendant

MLP257POLCOP Polished Copper



MATERIAL	Brass   Copper	Fixing Bracket	MLROSE05GRIP   Copper
HEIGHT	8cm   3.15"		
WIDTH   DIAMETER	5cm   1.97"		
LENGTH   PROJECTION	n/a		
WEIGHT	0.28KG   0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC		

**Product Notes:**


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





## LOME Pendant

MLP257POLNKL Polished Nickel



MATERIAL	Brass	Fixing Bracket	MLCA020
HEIGHT	8cm   3.15"		
WIDTH   DIAMETER	5cm   1.97"		
LENGTH   PROJECTION	n/a		
WEIGHT	0.28KG   0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	-		



www.mullanlighting.com


#### Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## LOME Pendant

MLP257SATBRS Satin Brass




MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP   Satin Brass
HEIGHT	8cm   3.15"		
WIDTH   DIAMETER	5cm   1.97"		
LENGTH   PROJECTION	n/a		
WEIGHT	0.28KG   0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## LOME Pendant

MLP257SATCHR Satin Chrome



MATERIAL	Brass
HEIGHT	8cm   3.15"
WIDTH   DIAMETER	5cm   1.97"
LENGTH   PROJECTION	n/a
WEIGHT	0.28KG   0.62lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA020   3 Core Twist   Black Braid   PVC

Fixing Bracket MLROSE05GRIP | Satin Chrome

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.