

# OREGON-B Ceiling Light

MLCF102ANTBRSC L Antique Brass



|                           |                 |                |                          |
|---------------------------|-----------------|----------------|--------------------------|
| MATERIAL                  | Brass   Glass   | FIXING BRACKET | MLROSE39   Antique Brass |
| HEIGHT                    | 21.5cm   8.46"  |                |                          |
| WIDTH   DIAMETER          | 12cm   4.72"    |                |                          |
| LENGTH   PROJECTION       | n/a             |                |                          |
| WEIGHT                    | 0.52kg   1.15lb |                |                          |
| LAMPHOLDER                | E27             |                |                          |
| MAX WATTAGE               | 40W             |                |                          |
| VOLTAGE                   | 220/240v        |                |                          |
| IP RATING                 | IP65            |                |                          |
| CLASS PROTECTION          | 2               |                |                          |
| SHADE                     | GL147           |                |                          |
| FLEX   BAR   CHAIN LENGTH | n/a             |                |                          |
| CABLE TYPE                | -               |                |                          |



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



**OREGON-B Ceiling Light**

MLCF102ANTBRSCR Antique Brass



|                                  |                 |
|----------------------------------|-----------------|
| <b>MATERIAL</b>                  | Brass   Glass   |
| <b>HEIGHT</b>                    | 21.5cm   8.46"  |
| <b>WIDTH   DIAMETER</b>          | 12cm   4.72"    |
| <b>LENGTH   PROJECTION</b>       | n/a             |
| <b>WEIGHT</b>                    | 0.52kg   1.15lb |
| <b>LAMPHOLDER</b>                | E27             |
| <b>MAX WATTAGE</b>               | 40W             |
| <b>VOLTAGE</b>                   | 220/240v        |
| <b>IP RATING</b>                 | IP65            |
| <b>CLASS PROTECTION</b>          | 2               |
| <b>SHADE</b>                     | GL144           |
| <b>FLEX   BAR   CHAIN LENGTH</b> | n/a             |
| <b>CABLE TYPE</b>                | -               |

**FIXING BRACKET** MLROSE39 | Antique Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## OREGON-B Ceiling Light

MLCF102ANTBRSFR Antique Brass



|                           |                 |                |                          |
|---------------------------|-----------------|----------------|--------------------------|
| MATERIAL                  | Brass   Glass   | FIXING BRACKET | MLROSE39   Antique Brass |
| HEIGHT                    | 21.5cm   8.46"  |                |                          |
| WIDTH   DIAMETER          | 12cm   4.72"    |                |                          |
| LENGTH   PROJECTION       | n/a             |                |                          |
| WEIGHT                    | 0.52kg   1.15lb |                |                          |
| LAMPHOLDER                | E27             |                |                          |
| MAX WATTAGE               | 40W             |                |                          |
| VOLTAGE                   | 220/240v        |                |                          |
| IP RATING                 | IP65            |                |                          |
| CLASS PROTECTION          | 2               |                |                          |
| SHADE                     | GL148           |                |                          |
| FLEX   BAR   CHAIN LENGTH | n/a             |                |                          |
| CABLE TYPE                | -               |                |                          |



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# OREGON-B Ceiling Light

MLCF102ANTSLVCL    Antique Silver



|                           |                 |
|---------------------------|-----------------|
| MATERIAL                  | Brass   Glass   |
| HEIGHT                    | 21.5cm   8.46"  |
| WIDTH   DIAMETER          | 12cm   4.72"    |
| LENGTH   PROJECTION       | n/a             |
| WEIGHT                    | 0.52kg   1.15lb |
| LAMPHOLDER                | E27             |
| MAX WATTAGE               | 40W             |
| VOLTAGE                   | 220/240v        |
| IP RATING                 | IP65            |
| CLASS PROTECTION          | 2               |
| SHADE                     | GL147           |
| FLEX   BAR   CHAIN LENGTH | n/a             |
| CABLE TYPE                | -               |

FIXING BRACKET    MLROSE39 | Antique Silver



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## OREGON-B Ceiling Light

MLCF102ANTSLVCR Antique Silver



|                           |                 |
|---------------------------|-----------------|
| MATERIAL                  | Brass   Glass   |
| HEIGHT                    | 21.5cm   8.46"  |
| WIDTH   DIAMETER          | 12cm   4.72"    |
| LENGTH   PROJECTION       | n/a             |
| WEIGHT                    | 0.52kg   1.15lb |
| LAMPHOLDER                | E27             |
| MAX WATTAGE               | 40W             |
| VOLTAGE                   | 220/240v        |
| IP RATING                 | IP65            |
| CLASS PROTECTION          | 2               |
| SHADE                     | GL144           |
| FLEX   BAR   CHAIN LENGTH | n/a             |
| CABLE TYPE                | -               |

FIXING BRACKET MLROSE39 | Antique Silver



[www.mullanlighting.com](http://www.mullanlighting.com)

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## OREGON-B Ceiling Light

MLCF102ANTSLVFR Antique Silver



|                           |                 |
|---------------------------|-----------------|
| MATERIAL                  | Brass   Glass   |
| HEIGHT                    | 21.5cm   8.46"  |
| WIDTH   DIAMETER          | 12cm   4.72"    |
| LENGTH   PROJECTION       | n/a             |
| WEIGHT                    | 0.52kg   1.15lb |
| LAMPHOLDER                | E27             |
| MAX WATTAGE               | 40W             |
| VOLTAGE                   | 220/240v        |
| IP RATING                 | IP65            |
| CLASS PROTECTION          | 2               |
| SHADE                     | GL148           |
| FLEX   BAR   CHAIN LENGTH | n/a             |
| CABLE TYPE                | -               |

FIXING BRACKET MLROSE39 | Antique Silver



[www.mullanlighting.com](http://www.mullanlighting.com)

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## OREGON-B Ceiling Light

MLCF102NATBRSC L Natural Brass



|                           |                 |
|---------------------------|-----------------|
| MATERIAL                  | Brass   Glass   |
| HEIGHT                    | 21.5cm   8.46"  |
| WIDTH   DIAMETER          | 12cm   4.72"    |
| LENGTH   PROJECTION       | n/a             |
| WEIGHT                    | 0.52kg   1.15lb |
| LAMPHOLDER                | E27             |
| MAX WATTAGE               | 40W             |
| VOLTAGE                   | 220/240v        |
| IP RATING                 | IP65            |
| CLASS PROTECTION          | 2               |
| SHADE                     | GL147           |
| FLEX   BAR   CHAIN LENGTH | n/a             |
| CABLE TYPE                | -               |

FIXING BRACKET MLROSE39 | Natural Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## OREGON-B Ceiling Light

MLCF102NATBRSCR Natural Brass



|                           |                 |
|---------------------------|-----------------|
| MATERIAL                  | Brass   Glass   |
| HEIGHT                    | 21.5cm   8.46"  |
| WIDTH   DIAMETER          | 12cm   4.72"    |
| LENGTH   PROJECTION       | n/a             |
| WEIGHT                    | 0.52kg   1.15lb |
| LAMPHOLDER                | E27             |
| MAX WATTAGE               | 40W             |
| VOLTAGE                   | 220/240v        |
| IP RATING                 | IP65            |
| CLASS PROTECTION          | 2               |
| SHADE                     | GL144           |
| FLEX   BAR   CHAIN LENGTH | n/a             |
| CABLE TYPE                | -               |

FIXING BRACKET MLROSE39 | Natural Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# OREGON-B Ceiling Light

MLCF102NATBRSFR Natural Brass



|                           |                 |
|---------------------------|-----------------|
| MATERIAL                  | Brass   Glass   |
| HEIGHT                    | 21.5cm   8.46"  |
| WIDTH   DIAMETER          | 12cm   4.72"    |
| LENGTH   PROJECTION       | n/a             |
| WEIGHT                    | 0.52kg   1.15lb |
| LAMPHOLDER                | E27             |
| MAX WATTAGE               | 40W             |
| VOLTAGE                   | 220/240v        |
| IP RATING                 | IP65            |
| CLASS PROTECTION          | 2               |
| SHADE                     | GL148           |
| FLEX   BAR   CHAIN LENGTH | n/a             |
| CABLE TYPE                | -               |

FIXING BRACKET MLROSE39 | Natural Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# OREGON-B Ceiling Light

MLCF102POLBRSC L Polished Brass



|                                  |                 |
|----------------------------------|-----------------|
| <b>MATERIAL</b>                  | Brass   Glass   |
| <b>HEIGHT</b>                    | 21.5cm   8.46"  |
| <b>WIDTH   DIAMETER</b>          | 12cm   4.72"    |
| <b>LENGTH   PROJECTION</b>       | n/a             |
| <b>WEIGHT</b>                    | 0.52kg   1.15lb |
| <b>LAMPHOLDER</b>                | E27             |
| <b>MAX WATTAGE</b>               | 40W             |
| <b>VOLTAGE</b>                   | 220/240v        |
| <b>IP RATING</b>                 | IP65            |
| <b>CLASS PROTECTION</b>          | 2               |
| <b>SHADE</b>                     | GL147           |
| <b>FLEX   BAR   CHAIN LENGTH</b> | n/a             |
| <b>CABLE TYPE</b>                | -               |

**FIXING BRACKET** MLROSE39 | Polished Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# OREGON-B Ceiling Light

MLCF102POLBRSCR Polished Brass



|                                  |                 |                       |                           |
|----------------------------------|-----------------|-----------------------|---------------------------|
| <b>MATERIAL</b>                  | Brass   Glass   | <b>FIXING BRACKET</b> | MLROSE39   Polished Brass |
| <b>HEIGHT</b>                    | 21.5cm   8.46"  |                       |                           |
| <b>WIDTH   DIAMETER</b>          | 12cm   4.72"    |                       |                           |
| <b>LENGTH   PROJECTION</b>       | n/a             |                       |                           |
| <b>WEIGHT</b>                    | 0.52kg   1.15lb |                       |                           |
| <b>LAMPHOLDER</b>                | E27             |                       |                           |
| <b>MAX WATTAGE</b>               | 40W             |                       |                           |
| <b>VOLTAGE</b>                   | 220/240v        |                       |                           |
| <b>IP RATING</b>                 | IP65            |                       |                           |
| <b>CLASS PROTECTION</b>          | 2               |                       |                           |
| <b>SHADE</b>                     | GL144           |                       |                           |
| <b>FLEX   BAR   CHAIN LENGTH</b> | n/a             |                       |                           |
| <b>CABLE TYPE</b>                | -               |                       |                           |



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## OREGON-B Ceiling Light

MLCF102POLBRSFR Polished Brass



|                                  |                 |                       |                           |
|----------------------------------|-----------------|-----------------------|---------------------------|
| <b>MATERIAL</b>                  | Brass   Glass   | <b>FIXING BRACKET</b> | MLROSE39   Polished Brass |
| <b>HEIGHT</b>                    | 21.5cm   8.46"  |                       |                           |
| <b>WIDTH   DIAMETER</b>          | 12cm   4.72"    |                       |                           |
| <b>LENGTH   PROJECTION</b>       | n/a             |                       |                           |
| <b>WEIGHT</b>                    | 0.52kg   1.15lb |                       |                           |
| <b>LAMPHOLDER</b>                | E27             |                       |                           |
| <b>MAX WATTAGE</b>               | 40W             |                       |                           |
| <b>VOLTAGE</b>                   | 220/240v        |                       |                           |
| <b>IP RATING</b>                 | IP65            |                       |                           |
| <b>CLASS PROTECTION</b>          | 2               |                       |                           |
| <b>SHADE</b>                     | GL148           |                       |                           |
| <b>FLEX   BAR   CHAIN LENGTH</b> | n/a             |                       |                           |
| <b>CABLE TYPE</b>                | -               |                       |                           |



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## OREGON-B Ceiling Light

MLCF102SATBRSCS Satin Brass



|                                  |                 |                       |                        |
|----------------------------------|-----------------|-----------------------|------------------------|
| <b>MATERIAL</b>                  | Brass   Glass   | <b>FIXING BRACKET</b> | MLROSE39   Satin Brass |
| <b>HEIGHT</b>                    | 21.5cm   8.46"  |                       |                        |
| <b>WIDTH   DIAMETER</b>          | 12cm   4.72"    |                       |                        |
| <b>LENGTH   PROJECTION</b>       | n/a             |                       |                        |
| <b>WEIGHT</b>                    | 0.52kg   1.15lb |                       |                        |
| <b>LAMPHOLDER</b>                | E27             |                       |                        |
| <b>MAX WATTAGE</b>               | 40W             |                       |                        |
| <b>VOLTAGE</b>                   | 220/240v        |                       |                        |
| <b>IP RATING</b>                 | IP65            |                       |                        |
| <b>CLASS PROTECTION</b>          | 2               |                       |                        |
| <b>SHADE</b>                     | GL147           |                       |                        |
| <b>FLEX   BAR   CHAIN LENGTH</b> | n/a             |                       |                        |
| <b>CABLE TYPE</b>                | -               |                       |                        |



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



# OREGON-B Ceiling Light

MLCF102SATBRSCR Satin Brass



|                           |                 |
|---------------------------|-----------------|
| MATERIAL                  | Brass   Glass   |
| HEIGHT                    | 21.5cm   8.46"  |
| WIDTH   DIAMETER          | 12cm   4.72"    |
| LENGTH   PROJECTION       | n/a             |
| WEIGHT                    | 0.52kg   1.15lb |
| LAMPHOLDER                | E27             |
| MAX WATTAGE               | 40W             |
| VOLTAGE                   | 220/240v        |
| IP RATING                 | IP65            |
| CLASS PROTECTION          | 2               |
| SHADE                     | GL144           |
| FLEX   BAR   CHAIN LENGTH | n/a             |
| CABLE TYPE                | -               |

FIXING BRACKET MLROSE39 | Satin Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



## OREGON-B Ceiling Light

MLCF102SATBRSFR Satin Brass



|                           |                 |
|---------------------------|-----------------|
| MATERIAL                  | Brass   Glass   |
| HEIGHT                    | 21.5cm   8.46"  |
| WIDTH   DIAMETER          | 12cm   4.72"    |
| LENGTH   PROJECTION       | n/a             |
| WEIGHT                    | 0.52kg   1.15lb |
| LAMPHOLDER                | E27             |
| MAX WATTAGE               | 40W             |
| VOLTAGE                   | 220/240v        |
| IP RATING                 | IP65            |
| CLASS PROTECTION          | 2               |
| SHADE                     | GL148           |
| FLEX   BAR   CHAIN LENGTH | n/a             |
| CABLE TYPE                | -               |

FIXING BRACKET MLROSE39 | Satin Brass



[www.mullanlighting.com](http://www.mullanlighting.com)

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

