


MLOWL023ANTBRS **Antique Brass**





MATERIAL	Brass Glass
HEIGHT	14cm 5.51"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	5.5cm 2.17"
WEIGHT	0.9KG 1.98lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	64
CLASS PROTECTION	l .
SHADE	-
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket -

*For UL wired lights, fixing bracket may differ










Antique Silver MLOWL023ANTSLV





MATERIAL	Brass Glass
HEIGHT	14cm 5.51"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	5.5cm 2.17"
WEIGHT	0.9KG 1.98lbs
LAMPHOLDER	G9 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

Fixing Bracket -

*For UL wired lights, fixing bracket may differ










MLOWL023NATBRS **Natural Brass**



MATERIAL	Brass Glass	Fixing Bracket - *For UL wired lights, fixing bracket may differ
HEIGHT	14cm 5.51"	FOL OL WHEELINGHIS, HAING DIACKETHAY UNIEL
WIDTH DIAMETER	14cm 5.51"	
LENGTH PROJECTION	5.5cm 2.17"	
WEIGHT	0.9KG 1.98lbs	
LAMPHOLDER	G9 x 1	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v	
IP RATING	64	
CLASS PROTECTION	I	
SHADE	-	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE	-	










MLOWL023RAWBRS

Raw Brass







MATERIAL	Brass Glass
HEIGHT	14cm 5.51"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	5.5cm 2.17"
WEIGHT	0.9KG 1.98lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	54
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

Fixing Bracket -

*For UL wired lights, fixing bracket may differ





