


MLBWL117ANTBRSCL Antique Brass








MATERIAL	Brass Glass	F
HEIGHT	30cm 11.81"	
WIDTH DIAMETER	8cm 3.15''	
LENGTH PROJECTION	24cm 9.45''	
WEIGHT	1.26KG 2.78lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	65	
CLASS PROTECTION	I	
SHADE CODE	GLWP01	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber	

Fixing Bracket MLWB12 | Antique Brass

Fixing bracket may differ for UL wired products.



 \bigcirc



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




www.mullanlighting.com



MLBWL117ANTBRSOP Antique Brass








MATERIAL	Brass Glass	F
HEIGHT	30cm 11.81"	
WIDTH DIAMETER	8cm 3.15''	
LENGTH PROJECTION	24cm 9.45''	
WEIGHT	1.26KG 2.78lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	65	
CLASS PROTECTION	I	
SHADE CODE	GLWP02	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber	

Fixing Bracket MLWB12 | Antique Brass

Fixing bracket may differ for UL wired products.



 \bigcirc



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




www.mullanlighting.com



MLBWL117ANTSLVCL Antique Silver








MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	8cm 3.15"
LENGTH PROJECTION	24cm 9.45''
WEIGHT	1.26KG 2.78lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GLWP01
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Antique Silver

* Fixing bracket may differ for UL wired products.



 \bigcirc




Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com






MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	8cm 3.15''
LENGTH PROJECTION	24cm 9.45''
WEIGHT	1.26KG 2.78lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GLWP02
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Antique Silver

* Fixing bracket may differ for UL wired products.



 \bigcirc



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




I



MLBWL117NATBRSCL Natural Brass








MATERIAL	Brass Glass	Fix
HEIGHT	30cm 11.81"	
WIDTH DIAMETER	8cm 3.15"	
LENGTH PROJECTION	24cm 9.45''	
WEIGHT	1.26KG 2.78lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	65	
CLASS PROTECTION	I	
SHADE CODE	GLWP01	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber	

Fixing Bracket MLWB12|Natural Brass

ixing bracket may differ for UL wired products.



 \bigcirc



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




www.mullanlighting.com





MLBWL117NATBRSOP Natural Brass






MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	8cm 3.15"
LENGTH PROJECTION	24cm 9.45''
WEIGHT	1.26KG 2.78lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GLWP02
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Natural Brass

Fixing bracket may differ for UL wired products.



 \bigcirc



www.mullanlighting.com

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






MLBWL117POLBRSCL Polished Brass








MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	8cm 3.15"
LENGTH PROJECTION	24cm 9.45''
WEIGHT	1.26KG 2.78lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GLWP01
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Polished Brass

* Fixing bracket may differ for UL wired products.



 \bigcirc




Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com








Product Notes:

POLISHED BRASS

Fixing Bracket MLWB12 | Polished Brass

* Fixing bracket may differ for UL wired products.





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individuallymade-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






MLBWL117SATBRSCL Satin Brass








MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	8cm 3.15"
LENGTH PROJECTION	24cm 9.45''
WEIGHT	1.26KG 2.78lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GLWP01
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLWB12 | Satin Brass

* Fixing bracket may differ for UL wired products.



 \bigcirc




Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com






MATERIAL		F
HEIGHT	30cm 11.81"	1
WIDTH DIAMETER	8cm 3.15''	
LENGTH PROJECTION	24cm 9.45''	
WEIGHT	1.26KG 2.78lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	65	
CLASS PROTECTION	I	
SHADE CODE	GLWP02	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber	

Fixing Bracket MLWB12|Satin Brass

Fixing bracket may differ for UL wired products.



 \bigcirc



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

