


YEREVAN 25CM Wall Light

MLWL422ANTBRS Antique Brass



MATERIAL	Brass Glass
HEIGHT	45cm 17.72"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	40cm 15.75"
WEIGHT	1KG 2.2lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL044D
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWLB03 | Antique Brass


* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

YEREVAN 25CM Wall Light

MLWL422ANTSLV Antique Silver



MATERIAL	Brass Glass
HEIGHT	45cm 17.72"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	40cm 15.75"
WEIGHT	1KG 2.2lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL044D
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWLB03 | Antique Silver


* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

YEREVAN 25CM Wall Light

MLWL422POLBRS Polished Brass



MATERIAL Brass | Glass

HEIGHT 45cm | 17.72"

WIDTH | DIAMETER 25cm | 9.84"

LENGTH | PROJECTION 40cm | 15.75"

WEIGHT 1KG | 2.2lbs

LAMP HOLDER E27 or E26 *

MAX WATTAGE 40W x 1

VOLTAGE 220/240v or 110/120v *

IP RATING 20

CLASS PROTECTION I

SHADE CODE GL044D

CABLE | CHAIN | BAR LENGT n/a

CABLE TYPE -

Fixing Bracket MLWLB03 | Polished Brass


* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

YEREVAN 25CM Wall Light

MLWL422SATBRS Satin Brass



MATERIAL	Brass Glass
HEIGHT	45cm 17.72"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	40cm 15.75"
WEIGHT	1KG 2.2lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL044D
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWLB03 | Satin Brass

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.