


#### MLCMCF018ANTBRS **Antique Brass**



MATERIAL	Brass   Ceramic		MLWB17   Antique Brass
HEIGHT	n/a	, bung bradnor may	12cm
WIDTH   DIAMETER	28cm   11.02"		7.5cm
LENGTH   PROJECTION	10cm   3.94''		
WEIGHT	1.3KG   2.87lbs		
LAMP HOLDER	E27 or E26 *		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v or 110/120v*		
IP RATING	20		
CLASS PROTECTION	I		
SHADE CODE	MLCS021		
CABLE   CHAIN   BAR LENGT	n/a		
CABLE TYPE			





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




www.mullanlighting.com



### MLCMCF018ANTSLV Antique Silver



MATERIAL	Brass   Ceramic	Fixin * Fixin
HEIGHT	n/a	_
WIDTH   DIAMETER	28cm   11.02"	
LENGTH   PROJECTION	10cm   3.94''	
WEIGHT	1.3KG   2.87lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	MLCS021	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE		





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






### MLCMCF018PCMBK Matt Black



MATERIAL	Brass   Ceramic   Aluminium	Fixing Bracket MLWB17   Matte Black * Fixing bracket may differ for UL wired products.
HEIGHT	n/a	12cm
WIDTH   DIAMETER	28cm   11.02"	7.5cm
LENGTH   PROJECTION	10cm   3.94''	
WEIGHT	1.3KG   2.87lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	MLCS021	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE	-	





www.mullanlighting.com

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






### MLCMCF018POLBRS Polished Brass



MATERIAL	Brass   Ceramic	Fixing
HEIGHT	n/a	_
WIDTH   DIAMETER	28cm   11.02"	
LENGTH   PROJECTION	10cm  3.94"	
WEIGHT	1.3KG   2.87lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	MLCS021	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE		





www.mullanlighting.com

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## BOG Ceramic Ceiling Fitting MLCMCF018POLCOP Polished Copper



MATERIAL	Brass   Ceramic	Fixing Bracket MLWB17  * Fixing bracket may differ for UL wired products.
HEIGHT	n/a	12cm
WIDTH   DIAMETER	28cm   11.02"	7.5cm
LENGTH   PROJECTION	10cm   3.94''	
WEIGHT	1.3KG   2.87lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	MLCS021	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE		



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



0.5cm


www.mullanlighting.com



#### MLCMCF018SATBRS Satin Brass



MATERIAL	Brass   Ceramic	Fixing Bracket MLWB17   Satin Brass * Fixing bracket may differ for UL wired products.
HEIGHT	n/a	12cm
WIDTH   DIAMETER	28cm   11.02"	7.5cm
LENGTH   PROJECTION	10cm   3.94''	
WEIGHT	1.3KG   2.87lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	MLCS021	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE		





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

