

## MLCF130ANTBRSCL Antique Brass



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	

# \* Fixing bracket may differ for UL wired products.

Fixing Bracket MLWB13 | Antique Brass





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## MLCF130ANTBRSFR Antique Brass



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-



Fixing Bracket MLWB13 | Antique Brass





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## MLCF130ANTBRSSM Antique Brass



MATERIAL	Brass   Glass
HEIGHT	17cm  6.69''
WIDTH   DIAMETER	17cm  6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	



Fixing Bracket MLWB13 | Antique Brass





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






## MLCF130ANTSLVCL Antique Silver



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## MLCF130ANTSLVFR Antique Silver



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





#### Antique Silver MLCF130ANTSLVSM



MATERIAL	Brass   Glass	Fixing
HEIGHT	17cm   6.69''	
WIDTH   DIAMETER	17cm   6.69''	
LENGTH   PROJECTION	27cm   10.63"	
WEIGHT	1.1KG   2.43lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL183	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE		





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



www.mullanlighting.com


EST. 2009



## MLCF130PCMBKCL Matt Black



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	1
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	



Fixing Bracket MLWB13 | Matte Black





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individuallymade-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) IUL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






## MLCF130PCMBKFR Matt Black



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	





www.mullanlighting.com

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





#### MLCF130PCMBKSM Matt Black



MATERIAL	Brass   Glass   Aluminium
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	









Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions. www.mullanlighting.com





## MLCF130PCWTEFR White



MATERIAL	Brass   Aluminium   Glass	Fiz * F
HEIGHT	17cm  6.69''	
WIDTH   DIAMETER	17cm   6.69''	
LENGTH   PROJECTION	27cm   10.63"	
WEIGHT	1.09KG   2.4lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	GL180	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE		





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## MLCF130PCWTESM White



MATERIAL	Brass   Glass   Aluminium	ł
HEIGHT	17cm   6.69''	
WIDTH   DIAMETER	17cm   6.69''	
LENGTH   PROJECTION	27cm   10.63"	
WEIGHT	1.1KG   2.43lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL183	
CABLE   CHAIN   BAR LENGT	n/a	
CABLE TYPE		





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLCF130POLBRSCL Polished Brass



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## MLCF130POLBRSFR Polished Brass



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	





www.mullanlighting.com

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLCF130POLBRSSM **Polished Brass** 



MATERIAL	Brass   Glass	Fixing Bracket MLWB13   Polished Brass * Fixing bracket may differ for UL wired products.
HEIGHT	17cm   6.69''	7.5cm
WIDTH   DIAMETER	17cm  6.69''	
LENGTH   PROJECTION	27cm   10.63"	_
WEIGHT	1.1KG   2.43lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	_
IP RATING	20	
CLASS PROTECTION	1	
SHADE CODE	GL183	
CABLE   CHAIN   BAR LENGT	n/a	_
CABLE TYPE		







Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## MLCF130SATBRSCL Satin Brass



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	







Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## MLCF130SATBRSFR Satin Brass



MATERIAL	Brass   Aluminium   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm   6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.09KG   2.4lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	



Fixing Bracket MLWB13 | Satin Brass





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120/with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





### MLCF130SATBRSSM Satin Brass



MATERIAL	Brass   Glass
HEIGHT	17cm   6.69''
WIDTH   DIAMETER	17cm  6.69''
LENGTH   PROJECTION	27cm   10.63"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	1
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	

# \* Fixing bracket may differ for UL wired products.

Fixing Bracket MLWB13 | Satin Brass





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

