


# **BOKARO**

## MLOSL030ANTBRS Antique Brass











MATERIAL	Brass   Glass   Plastic
HEIGHT	n/a
WIDTH   DIAMETER	6.2cm
LENGTH   PROJECTION	18.5cm
WEIGHT	0.82 kg
LAMPHOLDER	Integrated
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	Class II
SHADE	-
FLEX   BAR   CHAIN LENGTH	n/a
CABLE TYPE	-1

FIXING BRACKET: -



rroduct Notes:
1) Integrated LED included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) Refer to our website for a full list of terms and conditions.






# **BOKARO**

### MLOSL030NATBRS Natural Brass











MATERIAL	Brass   Plastic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	6.2cm
LENGTH   PROJECTION	18.5cm
WEIGHT	0.82 kg
LAMPHOLDER	Integrated
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	Class II
SHADE	-
FLEX   BAR   CHAIN LENGTH	n/a
CABLE TYPE	-1

FIXING BRACKET: -



Product Notes:
1) Integrated LED included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) Refer to our website for a full list of terms and conditions.






# **BOKARO**

### MLOSL030RAWBRS Raw Brass











MATERIAL	Brass   Glass   Plastic
HEIGHT	n/a
WIDTH   DIAMETER	6.2cm
LENGTH   PROJECTION	18.5cm
WEIGHT	0.82 kg
LAMPHOLDER	Integrated
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET: -



Product Notes:
1) Integrated LED included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) Refer to our website for a full list of terms and conditions.

