

## **CHULAINN Chandelier**

MLF210ANTBRS

**Antique Brass** 



MATERIAL	Brass	Fixing Bracket	MLROSE15   Antique Brass
HEIGHT	19-28cm   7.48-11.02"		
WIDTH   DIAMETER	66-71cm   25.98-27.95"		
LENGTH   PROJECTION	n/a		
WEIGHT	4KG   8.82lbs		
LAMPHOLDER	E27 x 3		
MAX WATTAGE	60W x 3		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA046   3 Core Round   Brown Braid   PVC		



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.)

Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





## **CHULAINN Chandelier**

## MLF210ANTSLV **Antique Silver**



MATERIAL	Brass	Fixing Bracket	MLROSE15   Antique
HEIGHT	19-28cm   7.48-11.02"		
WIDTH   DIAMETER	66-71cm   25.98-27.95"		
LENGTH   PROJECTION	n/a		
WEIGHT	4KG   8.82lbs		
LAMPHOLDER	E27 x 3		
MAX WATTAGE	60W x 3		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	1		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA029   3 Core Round   Black Braid   PVC		

e Silver









## **CHULAINN Chandelier**

MLF210SATBRS Satin Brass



MATERIAL	Brass	Fixing Bracket	MLROSE15   Polished Brass
HEIGHT	19-28cm   7.48-11.02"		
WIDTH   DIAMETER	66-71cm   25.98-27.95"		
LENGTH   PROJECTION	n/a		
WEIGHT	4KG   8.82lbs		
LAMPHOLDER	E27 x 3		
MAX WATTAGE	60W x 3		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	1		
SHADE	-		
FLEX   BAR   CHAIN LENGT	100cm   40"		
CABLE TYPE	MLCA029   3 Core Round   Black Braid   PVC		



Product Notes:

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.)

Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

