



### MLCMWL025ANTBRS Antique Brass





MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	11"
LENGTH   PROJECTION	6"
WEIGHT	2 kg   4.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL096   MLCS032
FLEX   BAR   CHAIN LENGTH	n/a
CABLE TYPE	

#### FIXING BRACKET: MLWB17






1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and






### MLCMWL025ANTSLV Antique Silver





MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	11"
LENGTH   PROJECTION	6"
WEIGHT	2 kg   4.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL096   MLCS032
FLEX   BAR   CHAIN LENGTH	n/a
CABLE TYPE	1

#### FIXING BRACKET: MLWB17






1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






### MLCMWL025PCMBK Matt Black





MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	11"
LENGTH   PROJECTION	6"
WEIGHT	2 kg   4.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL096   MLCS032
FLEX   BAR   CHAIN LENGTH	n/a
CABLE TYPE	

#### FIXING BRACKET: MLWB17






1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






### MLCMWL025POLBRS Polished Brass





MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	11"
LENGTH   PROJECTION	6"
WEIGHT	2 kg   4.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL096   MLCS032
FLEX   BAR   CHAIN LENGTH	n/a
CABLE TYPE	

#### FIXING BRACKET: MLWB17






1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and






### MLCMWL025SATBRS Satin Brass





MATERIAL	Brass   Ceramic   Glass
HEIGHT	n/a
WIDTH   DIAMETER	11"
LENGTH   PROJECTION	6"
WEIGHT	2 kg   4.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL096   MLCS032
FLEX   BAR   CHAIN LENGTH	n/a
CABLE TYPE	

#### FIXING BRACKET: MLWB17





1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

