



## ARDLE Pendant

MLP092PCBRZ Bronze



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA010   Brown PVC Flexible Cable   2 Core


FIXING BRACKET: MLROSE39 | Bronze



Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCGRN Sage Green



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Sage Green




#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCORG Orange



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Orange




#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCRED Red



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Red




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCWTE White



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | White




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCYLW Yellow



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Yellow




#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCCRM



MATERIAL	Aluminium   Steel
HEIGHT	9"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	

FIXING BRACKET: MLROSE39 | Cream




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCGRY Grey



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Grey




#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCRGR Racing Green




MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Racing Green




## ARDLE Pendant

MLP092PCBLK Black



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Black




#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCMBK Matt Black



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Black




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCCHR



MATERIAL	Steel   Aluminium
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA010   Brown PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Chrome




## Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCMWT



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA010   Brown PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt White




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCMTG



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA010   Brown PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Traffic Grey




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

## ARDLE Pendant

MLP092PCMSB




SAPPHIRE BLUE



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA010   Brown PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Sapphire Blue




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




## ARDLE Pendant

MLP092PCMHY



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA010   Brown PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Honey Yellow




## Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCMAP



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA010   Brown PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Antique Pink




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


## ARDLE Pendant

MLP092PCMMT



MATERIAL	Aluminium   Steel
HEIGHT	4"
WIDTH   DIAMETER	11.75"
LENGTH   PROJECTION	n/a
WEIGHT	0.7 kg   1.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	60W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA010   Brown PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Mint Turquoise



Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.