



BO Bathroom Light

MLBWL059ANTBRSCS Antique Brass




MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP01
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | Antique Brass



BO Bathroom Light

MLBWL059ANTBRSOP Antique Brass



MATERIAL Brass | Glass

HEIGHT 12.5"

WIDTH | DIAMETER 3.25"

LENGTH | PROJECTION 12.25"

WEIGHT 0.77 kg | 1.8 lbs

LAMPHOLDER E26

MAX WATTAGE 6.5W

VOLTAGE 110/120v

ENVIRONMENTAL RATING Wet Location (IP65)


CLASS PROTECTION Class II

SHADE GLWP02

FLEX | BAR | CHAIN LENGTH n/a


CABLE TYPE |

FIXING BRACKET: MLWB17 | Antique Brass



BO Bathroom Light

MLBWL059ANTSLVCL Antique Silver



MATERIAL Brass | Glass

HEIGHT 12.5"

WIDTH | DIAMETER 3.25"

LENGTH | PROJECTION 12.25"

WEIGHT 0.77 kg | 1.8 lbs

LAMPHOLDER E26

MAX WATTAGE 6.5W

VOLTAGE 110/120v

ENVIRONMENTAL RATING Wet Location (IP65)


CLASS PROTECTION Class II

SHADE GLWP01

FLEX | BAR | CHAIN LENGTH n/a

CABLE TYPE |


FIXING BRACKET: MLWB17 | Antique Silver






BO Bathroom Light

MLBWL059ANTSLVOP Antique Silver



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP02
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | Antique Silver




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






BO Bathroom Light

MLBWL059NATBRSCS Natural Brass



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP01
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | Natural Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






BO Bathroom Light

MLBWL059NATBRSOP Natural Brass



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP02
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | Natural Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






BO Bathroom Light

MLBWL059PCMBKCL Matt Black



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP01
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | Matt Black




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






BO Bathroom Light

MLBWL059PCMBKOP Matt Black



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP02
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | Matt Black




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






BO Bathroom Light

MLBWL059PCWTECL White



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP01
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | White




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






BO Bathroom Light

MLBWL059PCWTEOP White



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP02
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | White




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.





BO Bathroom Light

MLBWL059POLBRSCS Polished Brass



MATERIAL Brass | Glass

HEIGHT 12.5"

WIDTH | DIAMETER 3.25"

LENGTH | PROJECTION 12.25"

WEIGHT 0.77 kg | 1.8 lbs

LAMPHOLDER E26

MAX WATTAGE 6.5W

VOLTAGE 110/120v

ENVIRONMENTAL RATING Wet Location (IP65)


CLASS PROTECTION Class II

SHADE GLWP01

FLEX | BAR | CHAIN LENGTH n/a

CABLE TYPE |

FIXING BRACKET: MLWB17 | Polished Brass



WWW.MULLANLIGHTING.COM


Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



BO Bathroom Light

MLBWL059POLBRSOP Polished Brass



MATERIAL Brass | Glass

HEIGHT 12.5"

WIDTH | DIAMETER 3.25"

LENGTH | PROJECTION 12.25"

WEIGHT 0.77 kg | 1.8 lbs

LAMPHOLDER E26

MAX WATTAGE 6.5W

VOLTAGE 110/120v

ENVIRONMENTAL RATING Wet Location (IP65)


CLASS PROTECTION Class II

SHADE GLWP02

FLEX | BAR | CHAIN LENGTH n/a


CABLE TYPE |

FIXING BRACKET: MLWB17 | Polished Brass




BO Bathroom Light

MLBWL059SATBRSCS Satin Brass



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP01
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	


FIXING BRACKET: MLWB17 | Satin Brass






BO Bathroom Light

MLBWL059SATBR SOP Satin Brass



MATERIAL	Brass Glass
HEIGHT	12.5"
WIDTH DIAMETER	3.25"
LENGTH PROJECTION	12.25"
WEIGHT	0.77 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	6.5W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Wet Location (IP65)
CLASS PROTECTION	Class II
SHADE	GLWP02
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB17 | Satin Brass



Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

