





FEND Wall Light

MLWL190ANTSLV Antique Silver



MATERIAL	Brass Glass
HEIGHT	14.25"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	9.75"
WEIGHT	2.2 kg 4.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL129
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	MLCA020 Black Fabric Braided Cable 3 Core Twisted

FIXING BRACKET: MLWB12 | Antique Silver




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




FEND Wall Light

MLWL190ANTBRS Antique Brass




MATERIAL	Brass Glass
HEIGHT	14.25"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	9.75"
WEIGHT	2.2 kg 4.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL129
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	MLCA072 Brown Fabric Braided Cable 2 Core Round UL

FIXING BRACKET: MLWB12 | Antique Brass




FEND Wall Light

MLWL190POLBRS Polished Brass




MATERIAL	Brass Glass
HEIGHT	14.25"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	9.75"
WEIGHT	2.2 kg 4.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL129
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	MLCA020 Black Fabric Braided Cable 3 Core Twisted

FIXING BRACKET: MLWB12 | Polished Brass



FEND Wall Light

MLWL190SATBRS Satin Brass



MATERIAL	Brass Glass
HEIGHT	14.25"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	9.75"
WEIGHT	2.2 kg 4.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL129
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	MLCA020 Black Fabric Braided Cable 3 Core Twisted

FIXING BRACKET: MLWB12 | Satin Brass

