



STANLEY HOLO Ceiling Light

MLCF37ANTBRS Antique Brass




MATERIAL	Brass Glass
HEIGHT	11"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	n/a
WEIGHT	0.78 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL155
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLROSE39 | Antique Brass




STANLEY HOLO Ceiling Light

MLCF37ANTSLV Antique Silver



MATERIAL	Brass Glass
HEIGHT	11"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	n/a
WEIGHT	0.78 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL155
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	


FIXING BRACKET: MLROSE39 | Antique Silver






STANLEY HOLO Ceiling Light

MLCF37POLBRS Polished Brass



MATERIAL	Brass Glass
HEIGHT	11"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	n/a
WEIGHT	0.78 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL155
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLROSE39 | Polished Brass




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






STANLEY HOLO Ceiling Light

MLCF37POLCHR Polished Chrome



MATERIAL	Brass Glass
HEIGHT	11"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	n/a
WEIGHT	0.78 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL155
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLROSE39 | Polished Chrome



WWW.MULLANLIGHTING.COM


Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




STANLEY HOLO Ceiling Light

MLCF37SATBRS Satin Brass



MATERIAL	Brass Glass
HEIGHT	11"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	n/a
WEIGHT	0.78 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL155
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLROSE39 | Satin Brass




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






STANLEY HOLO Ceiling Light

MLCF37SATCHR Satin Chrome



MATERIAL	Brass Glass
HEIGHT	11"
WIDTH DIAMETER	7.75"
LENGTH PROJECTION	n/a
WEIGHT	0.78 kg 1.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL155
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLROSE39 | Satin Chrome



Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

